

# **Request for Proposal (RFP)**

# Renovation of Poompuhar Sales Showroom, Coimbatore

**Tender Ref.: TNHDC/727/M1/21-22** 

# <u>Volume-1</u> Tender Document (Envelope-A)

The Tamil Nadu Handicrafts Development Corporation Ltd (TNHDC)

759 Anna Salai, Chennai – 600 002 Phone:(044) 2852 1271/1325/5094 Fax: (044) 2852 4231

Email: tamilnaduhandicrafts@yahoo.co.in

# **Table of Contents**

1. Introd	duction	7	
2. Tend	er Sche	dule8	
3. Tend	er Eligik	oility Criteria9	
1. Instru	ections	to the Bidders10	
4.1		age of the Bids	10
4.2	Bid Cu	urrency	10
4.3	Letter	of Authorisation	10
4.4	Clarific	cations and Amendments	10
4.5	Conta	cting the Tender Inviting Authority	11
4.6	Cost	of Bidding	11
4.7	Tende	r Document Fee	11
4.8	Earne	st Money Deposit (EMD)	11
4.9	Tende	r Envelopes	12
4.10	Techn	ical Bid (Envelope-A)	12
	10.1	Bid Preparation	
	10.2	Details to be furnished	
	.10.3 .10.4	Signing the BidSealing the Bid	
		Bid (Envelope-B)	
	.11.1	Details to be furnished	
	11.2	Signing the Bids	
4.	11.3	Sealing the Bid	15
4.12		Cover	
4.13		of Submission of Tender	
4.14		cation and withdrawal of Bids	
4.15	Tende	er Opening and Initial Scrutiny	
	15.1	Technical Bid (Envelope-A) Opening	
	.15.2 .15.3	Tender ValidityInitial Scrutiny during Tender opening	
	15.4	Clarifications by TNHDC	
4.16	Techn	ical Bid Evaluation	
	16.1	Suppression of facts	
	16.2	Bid compliance with Eligibility Criteria	
4.	16.3	Selection of Technically Qualified Bidder	
4.17		Bid Evaluation	
	.17.1 .17.2	Price Bid opening	18
		Determination of Lowest Evaluated Price	
4.18 4.19	-	tion of Tender of banned Tenderertance of the Bid	
4.19		eation of Award	
4.20		d of EMD amount	
4.21		tance of Security Deposit (SD)	
4.22		I of Contract	
4.23		r Design Obligations	
		•	20
•		rk	0.4
5.1	mtroat	uction	21

5.2	Review and Monitoring	21
5.3	Other Clauses	21
Annexu	ıre-1 Bidder's covering letter22	
Annexu	re-2 Contract Terms23	
A1.	Definitions	23
A2.	Interpretations	24
A3.	Whole Documents	24
A4.	Contract Period	24
A5.	No Partnerships	25
A6.	No assignment	25
A7.	Scope of Work	25
A8.	Contract Price	25
A9.	Issue of Work Order	25
A10.	Project Period	25
A11.	Payment Terms	26
A12.	Taxes	26
A13.	Termination of Contract	26
-	13.1 Termination for default	
	13.2 Termination for Insolvency	
A14.		
A14.	Co-operation	
A15.	Liquidated Damages (LD)	
A10.	Indemnity	
A17.	Severability	
A10.	Limitation of Liability	
A20.	Refund of SD	
A21.	Intellectual Property Rights (IPR)	
A22.	Notices	
A23.	Force Majeure	
A24.	Arbitration	
A25.	Exit Clause	
	cal Bid (Envelope-A)32	
T1.	Earnest Money Deposit details	20
T2.	Bidder's Bank Account Details	
T3.	Furnish details for meeting the Eligibility Criteria	
_	73.1 Bidder's Legal Status	
	3.2 Bidder's Overall Experience	
7	-3.3 Bidder's relevant experience	33
	3.4 Bidder's Annual Turnover	
	3.5 Bidder's local Office details	
T4.	Work Plan Schedule	34
	id (Envelope-B)36	
	74.1 Price Bid details 36-59	CO <b>70</b>
	4.2 Data Sheets	60- <u>70</u> 71- <b>79</b>
	TIJ	/ T-/ J

# Disclaimer

- This Tender document is neither an agreement nor an offer by Tamil Nadu Handicrafts Development Corporation Limited (TNHDC) to the prospective Bidders or any other person. The purpose of this Tender document is to provide information to the prospective Bidders that may be useful to them in the preparation and submission of Bid.
- TNHDC does not make any representation or warranty as to the accuracy or reliability or completeness of the information in this Tender document and it is not possible for TNHDC to consider the particular needs of each prospective Bidder. The prospective Bidders shall be deemed to have satisfied itself fully before Bidding as to the correctness and sufficiency of its Bids and price quoted in the Bid to cover all obligations under this Tender. The Bidder shall make all arrangements for execution of the contract at its own cost and transport.
- 3) TNHDC will not have any liability to any prospective Bidder or organisation or any other person under any laws for the loss or expense or damage which may arise from or be incurred in connection with anything contained in this Tender document, any matter deemed to form part of this Tender document, the award of the Contract.
- 4) TNHDC will not be responsible for any delay in receiving the Bids. The publication of this Tender does not imply that TNHDC is bound to select any Bidder or to sign Contract with the Successful Bidder, as the case may be, for the Scope of Work. TNHDC reserves the right to accept/reject any or all of Bids submitted in response to this Tender document at any stage for reasons such as change of scope or technology or non-availability of anticipated fund whatsoever with intimation notice published on the designated websites.
- 5) TNHDC reserves the right to change/ modify/ amend any or all conditions of this Tender document that will be made available on the designated websites.
- This Tender process is governed by the Tamil Nadu Transparency in Tenders Act 1998 with The Tamil Nadu Transparency in Tenders Rules, 2000 as amended from time to time. It is Bidder's responsibility to ensure that they submit all the supporting documents without fail and it is the Bidder's sole responsibility to establish the proof of having relevant experience of the Bidders to full fill the Eligibility requirements otherwise the Bids are liable for rejection.

# **Definitions**

For the purposes of this Tender unless the subject or context otherwise requires the following terms expressed shall mean as under.

#	Terms	Definitions	
1.	Day	A day means a calendar day.	
2.	Month	Month means an English calendar month.	
3.	Government	Government means the Handlooms, Handicrafts, Textiles and Khadi	
		Department, Government of Tamil Nadu.	
4.	Department	Department means the Tamil Nadu Handicrafts Development Corporation	
		Limited under the administrative control of Handlooms, Handicrafts, Textiles	
		and Khadi Department, Government of Tamil Nadu.	
5.	Government Organisations	Government Organisations means Central Government, State Government,	
		Public Sector Undertakings of Central/State Governments, and Wholly owned	
		Government Bodies.	
6.	Applicable Law	Applicable Law means the Laws and any other instruments having the force of	
		Law in Tamil Nadu as they may be issued and in force from time to time.	
7.	Request for Proposal (RFP)	RFP means "Request for Proposal" document issued for "Renovation of	
		Poompuhar Sales Showroom, Coimbatore".	
8.	Bidder/ Tenderer	Bidder/ Tenderer means the party who makes a formal offer in pursuance of	
		this Tender floated by TNHDC.	
9.	Partial offer	Partial offer means that the Bidder not quoting for the entire scope of work or	
		price as asked in the Technical or Price Bid and such Bids are liable for	
		rejection.	
10.	Conditional offer	A conditional offer means that the Bidders specify their own terms and	
		conditions for the Scope of Work or quoted Price which would be non-	
		responsive to the tender conditions and such Bids are liable for rejection.	
11.	Successful Bidder or	Successful Bidder or TENDERER can be interchangeably used and means the	
	TENDERER	Bidder who has been selected for awarding the contract through this Tender	
		process.	

#	Terms	Definitions
12.	Services	Services mean the work to be performed by the TENDERER as per the Scope of
		Work described in the Tender.
13.	Agreement	The agreement means the agreement to be entered between TNHDC and
		TENDERER with all its appendices and annexure and any amendments thereto
		made in accordance with the provisions herein, read in conjunction with this
		Request for Proposal (RFP) document, and the bid response including its
		further revisions, associated documentation as the situation may deem
		necessary.
14.	Force Majeure	Force Majeure means any event that is unforeseeable, beyond the control of
		either party and not involving the affected party's wilful fault or negligence
		and materially affecting its capacity to perform its obligations.
15.	Material Breach	Material Breach means not submitting any deliverables, as mentioned in the
		Scope of Work and not rectifying the default within the days of being notified
		of the default.
16.	Other Terms	Other terms used in the Tender but not defined under this shall have the same
		meaning as assigned to such terms under the Information Technology Act,
		2000 and the Companies Act, 1956, as the case may be, as amended from time
		to time.

# 1. Introduction

The Tamil Nadu Handicrafts Development Corporation Limited (hereinafter called TNHDC) popularly known as "Poompuhar" was incorporated as a Public Limited Company by taking over the Sales Emporia and Training-cum-Production Centres. The TNHDC promotes exquisite handicrafts like Sculpture, Coimbatore Paintings, Stone Carving, Wood Carving, Mementos/Memorabilia, Jewellery, Pottery, Carpets, etc.

The TNHDC aims to encourage and hone the talent of artisans by training them, helping them improve their product quality and providing them social security by marketing their products. The TNHDC builds capacities of the artisans and helping them to cater to the changing demands of consumers. It also helps nurture traditional culture, make these ancient arts and crafts flourish.

By this renovation of Poompuhar Sales Showroom, Coimbatore, it can improve our day to day sales by displaying more products for sales, and the volume of the entire showrooms will also increase by attracting more new customers.

More details about the Corporation may be understood by visiting the <u>www.poompuhar.com</u> website.

# 2. Tender Schedule

#	Parameters	Details
1.	Tender Inviting Authority, Designation,	The Managing Director
	and Address	Tamil Nadu Handicrafts Development Corporation
		759 Anna Salai, Chennai – 600 002
		Phone:(044) 2852 1271/1325/5094
		Fax: (044) 2852 4231
		Email: tamilnaduhandicrafts@yahoo.co.in
2.	Tender Reference	TNHDC/727/M1/21-22
3.	Tender documents available place and	On all working days between 11.00 AM and 3.00 PM from the
	the due date for obtaining tender	Address mentioned in (1) above before 27.04.2022.
		Alternatively, Tender documents can be downloaded free from
		websites <u>www.poompuhar.com</u> and <u>www.tenders.tn.gov.in</u> .
4.	Tender Fee	Rs.1,000/- (Rupees one thousand only) plus 12% GST towards
		Tender fee.
5.	Earnest Money Deposit (EMD)	Rs.50,000/- (Rupees fifty thousand only) by way of Demand
		Draft drawn in favour of "Tamil Nadu Handicrafts Development
		Corporation Ltd" payable at Chennai only.
6.	Tender Value	Rs. 100 lakhs (inclusive of GST)
7.	Pre-Bid meeting date and place	A pre-bid meeting will be held on 20.04.2022 at 11:00 AM at
		the address mentioned in (1) above.
8.	Due Date, Time and Place of submission	Sealed Tenders shall be submitted on or before 27.04.2022 at
	of sealed Tender	3.00 PM at the address mentioned in (1) above.
9.	Date, Time and Place of Opening of	Technical Bids will be opened on 27.04.2022 at 3.30 PM at the
	Technical Bids	address mentioned in (1) above.
10.	Date, Time and Place of the opening of	Opening of Price Bid of Technically Qualified Bidders only will
	Price Bids	be done on the same day.
		,

# 3. Tender Eligibility Criteria

The Bidders should fulfill the following Eligibility Criteria to participate in the Tender and should submit supporting documents in the Technical Bid.

#	Minimum Eligibility Criteria	Supporting documents required
1.	Bidder should be an organisation registered	In the case of registered Companies:
	under the Companies Act 1956 or a	Copy of the Certificate of Incorporation shall be submitted.
	Partnership Firm or Sole Proprietary Firm in India. And also having experience in work	In case of Partnership Firms:
	undertaken PWD, CPWD.	Copy of the Partnership Registration Certificate shall be submitted.
		In case of or Sole Proprietary:
		Copy of the Firm /registration shall be submitted.
		All the Bidders shall submit the following documents:
		Copy of the Permanent Account Number (PAN)
		Copy of the GST Registration Certificate
2.	Bidder should have at least 3 years of work experience in the field of constructions/renovation/ interior designing works	Copy of the Work Orders issued by various Organisations shall be submitted.
construction projects/orders to various		a) Copy of the Work Orders with a cumulative order value of Rs.50 lakhs issued by various Governments/ Private Organisations shall be submitted.
	during the past 3 years.	b) Copy of work completion certificate or performance certificate issued by Government/ Private Organisations shall be submitted.
4.	Bidder should have an average Annual Turnover of Rs.100 lakhs or more in the last three Audited Financial years. (Year 2020-21, 2019-20 & 2018-19).	Bidder should submit Auditor's Certificate along with Profit and Loss Accounts for the last three audited Financial Years.
5.	Bidder should have Office in the State of Tamil Nadu.	Copy of the Office address proof like Landline telephone bill, rent receipt, etc., in the name of the Bidder shall be submitted.
6.	Bidder should not have blacklisted	Self-declaration letter to be provided by the authorised person of the Organisation.

# 4. Instructions to the Bidders

# 4.1 Language of the Bids

The Bids prepared by the Bidder as well as all correspondence and documents relating to the Bid shall be in English only. If the supporting documents and printed literature furnished by the Bidder in any other language, shall be submitted with an accurate English translation duly notarised, in which case, for all-purpose of the Bid, the translation shall govern. Bids received without such translation copy are liable to be rejected.

# 4.2 Bid Currency

Price should be quoted in Indian Rupees (INR) only and Payment shall be made in Indian Rupees only.

# 4.3 Letter of Authorisation

An Authorisation letter or Power of Attorney from the Board of Directors or Managing Director shall be submitted in case of a Registered Company. An authorisation letter signed by all the Partners authorising one of the Partners/Officials shall be submitted in case of Partnership Firm. An authorisation letter signed by the Proprietor authorising self/one of Officials shall be submitted in case of Proprietary-ship Firm. Such Authorisation letter should clearly mention the Authorised person to sign and submit Bids, to take decisions and to execute the work on behalf of the Organisation. The Bids received without the Authorisation letter or Power of Attorney will be summarily rejected.

## 4.4 Clarifications and Amendments

- At any time after the issue of the tender documents and before the opening of the tender, the Tender Inviting Authority may make any changes, modifications or amendments to the tender documents and upload such changes to the designated websites mentioned in Tender Datasheet.
- 2) In case any tenderer seeks clarifications to the tender document before 48 hours of the opening of the Tender, the Tender Inviting Authority will notify the clarifications without identifying the source of the query and upload such clarification in the form of corrigendum to the designated websites mentioned in Tender Datasheet.
- 3) The tenderers should periodically check for the amendments or corrigendum or information on the websites till the opening date of the Tender. TNHDC will in no way be responsible for any ignorance by the Tenderer.
- 4) TNHDC will not responsible for any misinterpretation of the provisions of this tender document or on account of the Bidder's failure to update the Bid documents based on changes uploaded on

the website.

# 4.5 Contacting the Tender Inviting Authority

Bidders shall not make attempts to establish unsolicited and unauthorised contact with the Tender Inviting Authority or Tender Committees or Tender Accepting Authority after opening of the Tender and prior to the notification of the Award. Any attempt by any Bidder to bring to bear extraneous pressures on the Tender Inviting Authority or Tender Committees or Tender Accepting Authority shall be sufficient reason to disqualify the Bidder.

# 4.6 Cost of Bidding

The Bidders should bear all costs associated with the preparation and submission of Bids. TNHDC will in no way be responsible or liable for these charges/costs incurred regardless of the conduct or outcome of the bidding process.

# 4.7 Tender Document Fee

- The printed copy of the Tender documents may be purchased from the office of TNHDC on payment of fees as mentioned in the Tender Schedule. The Tender document is not transferable to any other Bidder.
- 2) The Tender fee may be paid by way of Demand Draft drawn in favour of "Tamil Nadu Handicrafts Development Corporation Ltd.", payable at Chennai only.
- 3) Alternatively, the Tender document can be downloaded from the designated websites mentioned in the Tender Schedule and the tender fee shall be paid as given in para 2 above and to be enclosed in the tender documents under technical bid.

# 4.8 Earnest Money Deposit (EMD)

- 1) An EMD amount as specified in the Tender Schedule should be paid along with the Technical Bid by way of Demand Draft from any Nationalised Bank or Scheduled Bank in India drawn in favour of "Tamil Nadu Handicrafts Development Corporation Ltd." payable at Chennai/payment through on-line.
- The EMD amount of the unsuccessful Bidders will be refunded after finalisation of the Tender and award of the contract. The EMD amount held by TNHDC till it is refunded to unsuccessful Bidders will not earn any interest thereof.
- 3) The EMD amount of successful Bidders will be converted as part of the Security Deposit (SD) for the successful execution of the work.
- 4) The EMD amount will be forfeited by TNHDC, if the Bidder withdraws the bid during the period of its validity specified in the Tender or if the successful Bidder fails to sign the contract or the successful Bidder fails to remit Security Deposit within the timeframe specified in the Tender.

# 4.9 Tender Envelopes

- Bidders should examine all Instructions, Terms & Conditions and Technical specifications as given in the Tender document. Failure to furnish information in the Bid or submission of Bids not substantially responsive/viable in all respects will be at Bidders' risk and may result in rejection of the bid. Bidders should strictly submit the Bid as specified in the Tender, failing which the bids will be held as non-responsive and will be rejected.
- 2) The Bids should be submitted in two envelopes namely (1) Technical Bid and (2) Price Bid. The Technical Bid and Price Bid shall be submitted in two separate covers as explained below. The Bids shall be addressed to "The Managing Director, The Tamil Nadu Handicrafts Development Corporation Ltd, 759 Anna Salai, Chennai- 600 002.

# 4.10 Technical Bid (Envelope-A)

# 4.10.1 Bid Preparation

The Technical Bid (Envelope-A) Form as given in the Tender document shall be filled, signed and stamped in all pages. TNHDC will not be responsible for the errors committed in the Bids by the Bidders. The Technical Bid should not strictly contain any price indications as otherwise the Bids will be summarily rejected.

#### 4.10.2 Details to be furnished

- The EMD amount as specified in the Tender should be submitted. Tenders received without EMD amount will be rejected.
- 2) A covering letter in the Bidder's Letter Head (in the format given in Annexure-1) should be submitted.
- 3) An Authorisation letter or Power of Attorney as specified in the Tender document should be submitted. The Tenders received without Authorisation letter or Power of Attorney will not be considered for further processing.
- 4) The blank Tender document in full along with Corrigenda shall be printed, signed by the Authorised Signatory of Tender, sealed in all pages and submitted in the Technical Bid as a token of acceptance of the Tender Conditions.
- 5) The Technical Bid (Envelope-A) should be duly filled in the format given in the Tender document, signed by the Authorised Signatory and stamped in all the pages and should be submitted.
- All the supporting documents to establish proof of Bidder's eligibility to participate in the Tender should be signed by the Authorised Signatory and stamped in all pages and should be submitted.

  The supporting documents shall establish Bidder's eligibility otherwise the Bid will be rejected.
- 7) The Auditor's Certificate, Annual Report, Profit & Loss Account should be signed by the Authorised Signatory and stamped in all pages and should be submitted.
- 8) Any other documents as specified in the Tender should be signed by the Authorised Signatory and

- stamped in all pages and should be submitted. No document shall be allowed to be supplemented/exchanged after the opening of the Tender.
- 9) The tenderer shall submit full details of his ownership and control or if the tenderer is a partnership, joint venture or consortium, full details of ownership and control of each member thereof.
- 10) If the tenderer is a joint venture/consortium/group/partnership of two or more persons, all such persons shall be jointly and severally liable to Tamil Nadu Handicrafts Development Corporation Limited for the fulfilment of the terms of the contract. Such a person shall designate one of them to act as the leader with the authority to sign. The joint venture/consortium/group/partnership shall not be altered without the approval of the TNHDC.
- The tenderer shall submit only one tender either by himself or as a partner in a joint venture or as a member of consortium. If a tenderer or if any of the partners in joint ventures or any one of the members of the consortium participates in more than one tender, the tender is liable to be rejected.
- In case the tenderer has any doubt about the meaning of anything contained in the tender document, he/she shall seek clarification from The Managing Director, Tamil Nadu Handicrafts Development Corporation Limited, sufficiently well before submitting the bid. Any such clarification, together with all details on which clarification had been sought, will also be forwarded to all tenderer without disclosing the identity of the tenderer seeking clarification. All communications between the bidders and The Managing Director, Tamil Nadu Handicrafts Development Corporation Limited shall be carried out in writing.
- Any and all the exemption which the tenders may have, in any of the clauses in the specification and general conditions of service should be clearly outlined in the schedule of deviation, SCHEDULE A (Part B– To be enclosed in Envelope I). Failing which the offer will be deemed to conform fully to the specifications and general terms and conditions.
- 14) It may be noted that the tenders not containing full particulars called for incomplete shape are liable to be rejected. Tenders not properly authenticated by the tenderer will be rejected. Tender documents should be duly signed by the tenderer in all pages.

- 15) Except for any such written clarification by The Managing Director, Tamil Nadu Handicrafts Development Corporation Limited, before opening of technical bids which is expressly stated to be an addendum to the tender document issued by the office of The Managing Director, Tamil Nadu Handicrafts Development Corporation Limited, no written or oral communication, presentation or explanation by any other employee of Tamil Nadu Handicrafts Development Corporation Limited, shall be taken to bind or fetter the of Tamil Nadu Handicrafts Development Corporation Limited, under the contract.
- Tenders and all accompanying documents shall be in English. In case any accompanying documents are in other languages, it shall be accompanied by an English translation. The English version shall prevail in matters of interpretations.
- All the columns shall be clearly filled in ink legibly or typed. The tenderer should quote the number, rates and amount tendered by him/them in figures. The tenderer shall take care that the rate and amount may be written in such a way that interpolation is not possible. No column should be left blank which would otherwise make the tender liable for rejection.
- Technical Details ((Envelope-I), Price Bid ((Envelope-II)) shall be in separate sealed envelopes, each marked as (Envelope-I) and (Envelope-II). The two covers shall be put into another sealed enveloped superscribing there on "Tender Reference No. TNHDC/727/M1/21-22 Execution of works relating to "Renovation of Poompuhar Sales Showroom, Coimbatore".

The Managing Director,

Tamil Nadu Handicrafts Development Corporation Limited,

Corporate Office

No.759, Anna Salai, Chennai-2.

# 4.10.3 Signing the Bid

19) The Technical Bid shall be typed and signed by the Authorised Signatory on all pages of the Bid and stamped. Any alterations, deletions or overwriting will be treated as valid only if they are attested with the full signature by the Authorised Signatory.

#### 4.10.4 Sealing the Bid

The Technical Bid shall be placed in a separate cover (Envelope-A) and sealed. The Technical Bid cover shall be superscribed as "Renovation of Poompuhar Sales Showroom, Coimbatore".

<u>Tender No: TNHDC/727/M1/21-22, due on 27.04.2022</u>. The "FROM" address and "TO" address shall be written without fail otherwise the Technical Bid is liable for rejection.

# 4.11 Price Bid (Envelope-B)

#### 4.11.1 Details to be furnished

- The Price Bid (Envelope-B) Form as given in the Tender document shall be filled, signed and stamped in all pages. All the Price items as asked in the Tender should be filled in the Price Bid. The Tender is liable for rejection if Price Bid contains partial offers or conditional offers.
- The price quoted by the Bidder shall include cost and expenses on all counts viz. cost of equipment, materials, tools/ techniques/ methodologies, manpower, supervision, administration, overheads, travel, lodging, boarding, in-station and outstation expenses, etc. and any other cost involved to fulfil the scope of work as specified in the Tender.
- 3) The cost quoted by the Bidder shall be kept firm for a period specified in the Tender from the date of opening of the Tender. The Bidder should keep the Price firm during the period of Contract including during the period of extension of time if any. Escalation of the cost will not be permitted during the said periods or during any period while providing services whether extended or not for reasons other than increase in duties/taxes payable to the Governments in India within the stipulated delivery period.

# 4.11.2 Signing the Bids

The Bids shall be typed, signed by the Authorised Signatory in all pages of the Bid and stamped. Any alterations, deletions or overwriting shall be treated valid only if they are attested by full signature by the Authorised Signatory.

### 4.11.3 Sealing the Bid

The Price Bid shall be placed in a separate cover (Envelope-B) and sealed. The Price Bid cover shall be superscribed as "Renovation of Poompuhar Sales Showroom, Coimbatore".

<u>Tender No: TNHDC/727/M1/21-22</u>, due on 27.04.2022. The "FROM" address and "TO" address shall be written without fail otherwise the Price Bid is liable for rejection.

### 4.12 Outer Cover

- The Technical Bid cover (Envelope-A) and Price Bid cover (Envelope-B) shall then be put in a single outer cover and sealed. The outer cover shall be superscribed as "Renovation of Poompuhar Sales Showroom, Coimbatore".
- 2) <u>Tender No: TNHDC/727/M1/21-22. due on 27.04.2022</u>. The "FROM" address and "TO" address shall be written without fail otherwise the Technical Bid is liable for rejection.

# 4.13 Mode of Submission of Tender

The Bid should be dropped in the Tender Box kept at TNHDC's Corporate Office at the address mentioned in Tender Schedule on or before the due date and time as specified in the Tender

- Schedule. The TNHDC will not receive the Bids personally.
- Alternatively, if the Bidder prefers to submit the Bid by post, the Bidders should ensure that the Bids reach the TNHDC office on or before the due date and time as specified in the Tender Schedule. The TNHDC would drop the postal Bids in the Tender box if the Bids received reaches TNHDC Office before the due date and time as specified in the Tender Schedule. TNHDC will not be liable or responsible for any damage, postal delay or any other delay whatsoever.
- 3) The Bids received after Due Date and Time as specified in the Tender Schedule or Unsealed or transmitted through Facsimiles or electronically will be summarily rejected.

#### 4.14 Modification and withdrawal of Bids

Bidder shall not make or cause to be made any alteration, erasure or obliteration to the text of this Tender document published by TNHDC and submitted by the Bidder with or as part of their Bid. The Bidders will not be permitted to modify or alter the Bids once submitted by the Bidder. Withdrawal of a Bid by any Bidder during the interval between the due date and time for submission of Tenders and the expiration of the period of Tender Validity as specified in the Tender document shall result in the forfeiture of the EMD/ SD as the case may be.

# 4.15 Tender Opening and Initial Scrutiny

## 4.15.1 Technical Bid (Envelope-A) Opening

The Tender outer cover and Technical Bid cover (Envelope-A) will be opened at the place, date and time as specified in the Tender Schedule. The Tender will be opened in the presence of the Bidders who are willing to be present. The Authorised Signatory of the Tender or their representative shall attend the Tender opening.

### 4.15.2 Tender Validity

The price quoted by the Bidder shall be kept valid for a period of 90 days from the date of the Tender opening of Technical Bid (Envelope-A). If any of the Bids has lesser price validity, the Bid will be rejected as non-responsive. Successful Bidders should extend the price validity until the completion of the contract. In exceptional circumstances, TNHDC may solicit the Bidders to extend the price validity and Bid security validity for further period and Bidders should agree for this.

# 4.15.3 Initial Scrutiny during Tender opening

After the opening of the Tender outer cover and Technical Bid (Envelope-A), initial scrutiny will be held for the following aspects.

- i) Whether Technical Bid (Envelope-A) and Price Bid (Envelope-B) are submitted in two separate sealed covers.
- ii) Whether the required EMD amount is submitted in the Technical Bid (Envelope-A).

All Bids fulfilling the above conditions alone will be considered for further evaluation otherwise the Bid will be rejected.

# 4.15.4 Clarifications by TNHDC

When deemed necessary, TNHDC may seek bonafide clarifications on any aspect from the Bidder. However, that would not entitle the Bidder to change or cause any change in the substance of the Bid or price quoted. During the course of Technical Bid evaluation, TNHDC may seek additional information or historical documents for verification to facilitate decision making. In case, the Bidder is failed to comply with the requirements of TNHDC as stated above, such Bids may at the discretion of TNHDC, will be rejected as technically non-responsive.

# 4.16 Technical Bid Evaluation

## 4.16.1 Suppression of facts

- During the Technical Bid evaluation, if any suppression or misrepresentation of information is brought to the notice of TNHDC, TNHDC shall have the right to reject the Bid. If the Bidder has already been selected, then TNHDC would terminate/void the contract as the case may be without any compensation to the Bidder and the EMD/ Security Deposit as the case may be shall be forfeited.
- 2) Bidders should note that any facts and figures like quantity, numbers, currency value, etc., in the supporting documents submitted by the Bidders for proving their eligibility criteria are found suppressed or erased, TNHDC shall have the right to seek the correct facts and figures, or reject such Bids. It is the Bidders responsibility to submit the full copies of the supporting documents to prove its eligibility otherwise TNHDC at its discretion may not consider such supporting documents.

# 4.16.2 Bid compliance with Eligibility Criteria

A Technical Committee will be involved in the evaluation of Technical Bid with respect to Eligibility criteria requirements as specified in the Tender. The Technical Evaluation will be conducted based on the supporting documents submitted by the Bidders. The Bids which establishes the Tender Eligibility Criteria in full will be considered for further processing. The Bids will be held non-responsive and rejected if the Bids do not establish the eligibility of the Bidders and will become unsuccessful in the Tender.

# 4.16.3 Selection of Technically Qualified Bidder

Those Bidders who fulfill the Eligibility Criteria will be the Technically Qualified Bidders in the Tender. Bidders will be assessed only to improve the quality levels in the proposed work under this Tender. The Price Bids of the Technically Qualified Bidders alone will be opened and evaluated.

# 4.17 Price Bid Evaluation

# 4.17.1 Price Bid opening

The Price Bid cover (Envelope-B) will be opened at the place, date and time as specified in the Tender Schedule. The Technically Qualified Bidders alone will be invited for Price Bid opening. The Authorised Signatory of the Tender or their representative shall attend the Price Bid opening.

# 4.17.2 Determination of Lowest Evaluated Price

- 1) The arithmetical errors in the Price Bid if any will be corrected and the price quoted by the Bidders will be evaluated. The price evaluation will include Taxes as part of the price.
- 2) The lowest evaluated price will be called as L1 price. The L1 price offered Bidder will be called as "L1 Bidder" of the Tender. The TNHDC may negotiate with the L1 Bidder for further reduction of price and improvement in the scope of work.
- 3) In the event that more than one Technically Qualified Bidder quoted the L1 price, both L1 Bidders will be asked to provide their best and final price offer in a sealed cover. The L1 Bidder offering the best advantageous price to TNHDC will be given a priority and major share of work.

# 4.18 Rejection of Tender of banned Tenderer

As per the Tamil Nadu Transparency in Tender Act 1998, if at any time before the acceptance of tender, the Tender Accepting Authority receives information that a tenderer who has submitted tender has been banned by any procuring entity, the Tender Accepting Authority shall not accept the tender of that tenderer even if it may be the lowest tender.

# 4.19 Acceptance of the Bid

The final acceptance of the Bids is entirely vested with the Tender Accepting Authority who reserves the right to accept or reject any or all of the Tenders in full or in part. The Tender Accepting Authority may also cancel the Tender for reasons such as changes in the scope of work, new technologies, court orders, accidents or Force Majeure conditions. After acceptance of the Tender by Tender Accepting Authority, if the any of the Bidder withdraws its Bid whatsoever the reason, then the withdrawn Bid will be rejected and the EMD amount submitted by the Bidder will be forfeited.

# 4.20 Notification of Award

Prior to the expiry of the Tender validity period, TNHDC will notify that the selected bidder in writing that its Bid have been accepted for award of Contract subject to receipt of Security Deposit.

# 4.21 Refund of EMD amount

The EMD amount of the unsuccessful Bidders will be refunded after awarding of the contract within a reasonable period. The EMD amount paid by the Successful Bidder will be converted as part of the Security Deposit payable by the Successful Bidder. If the successful Bidder submits Security Deposit in full,

their EMD will be refunded.

- a) Each bidder must pay an Earnest Money Deposit of Rs.50,000/- (Rupees Fifty thousand only) by way of demand draft in favour of "Tamil Nadu Handicrafts Development Corporation Limited", payable at Chennai.
- b) Tenders not accompanied by the EMD for the notified amount in the form prescribed shall be summarily rejected.
- c) The Earnest Money Deposit of unsuccessful tenderers will be returned after the finalization of tender within a reasonable time consistent with the rules and regulations.
- d) The Earnest Money Deposit furnished for any other tenders by the bidders and if any already available with the Tender Inviting Authority cannot be considered as an EMD for this tender.
- e) The EMD amount held by the Tender Inviting Authority until it is returned to the unsuccessful bidder will not earn any interest thereof.
- f) The EMD amount of successful bidders will be retained as a part of the Security Deposit (SD) for successful execution of the project.
- g) The EMD amount shall be forfeited if: The bidder withdraws the bid during the period of bid validity specified in the tender (or) in the case of the successful bidder if the bidder fails to sign the contract or to remit Security Deposit or adhere to the time schedule.

# 4.22 Remittance of Security Deposit (SD)

- The Successful Bidder shall be required to remit a Security Deposit equivalent to 5% (Five percentage) on the total value of the order, inclusive of EMD amount by way of demand draft drawn in favour of "Tamil Nadu Handicrafts Development Corporation Limited" payable at Chennai.
- 2) The Security Deposit furnished by the Successful Bidder in respect of the tender will be returned to them after the successful fulfilment of Contract. The Security Deposit held by TNHDC until it is refunded to the Successful Bidder will not earn any interest thereof.
- 3) The Security Deposit will be forfeited if the Successful Bidder withdraws the Bid during the period of Tender validity as specified in the Tender document.

# 4.23 Award of Contract

The Successful Bidder shall execute a Contract in the Contract Form (in the format as given in Annexure-3) in Rs.20/- non-judicial stamp paper bought in Tamil Nadu only in the name of the Bidder, within one week from the date of remittance of Security Deposit. The L1 Bidder will be given preference with major share of the work. The Security Deposit will be forfeited if the Successful Bidder fails to sign the contract.

# 4.24 Bidder Design Obligations

- 1. The Bidder has to strictly adhere to the drawings and designs furnished by the Architect Consultant for the showroom renovation.
- The specification provided for the design shall also strictly adhere.
- 3. In case of any changes or modifications at the site with respect to any of the following,
  - a) Due to Site Conditions
  - b) TNHDC modification during execution
  - c) Design Modifications

The Bidder shall get the written consent from both the TNHDC and the Architect Consultant before the execution of same at the site.

- 4. The Bidder shall execute any Lump sum works as mentioned in the BOQ with the written consent by the TNHDC and the Architect Consultant. The rates for the same shall be adopted as
  - a) PWD Schedule of Rates or
  - b) Cost of material + 15% for overheads profit.
- 5. As the Showroom renovations are done in old structures, the Bidder shall execute any unforeseen works that arise at the site with the written consent by the TNHDC and the Architect Consultant. The rates for the same shall be
  - c) Tendered Rate or
  - d) PWD Schedule of Rates or
  - e) Cost + 15% for overheads and profit.
- 6. The Bidder shall obtain stage-wise Certification for payment from both the Showroom manager and the Architect Consultant before the submission of the bills to TNHDC.
- 7. The Bidder at no point of time will deviate from the standard design finishes adopted by the Architect Consultant and TNHDC for creating uniform showroom designs across the state. The design finishes include the following and are not limited within
  - a) The Art deco style elevation details.
  - b) The exterior Paint Scheme
  - c) The standard design of furniture Display Racks, Billing Counter Etc.
  - d) Colour of Laminate or veneer for the Furniture.
  - e) The interior Paint Scheme and all other colour finishes Glass and all allied finishing Components.

# 5. Scope of Work

# 5.1 Introduction

The nature of the work is to do civil works relating to "Renovation of Poompuhar Sales Showroom, Coimbatore".

The TNHDC aims to encourage and hone the talent of artisans by training them, helping them improve their product quality and providing them social security by marketing their products. The TNHDC builds capacities of the artisans and helping them to cater to the changing demands of consumers. It also helps nurture traditional culture, make these ancient arts and crafts flourish.

By this renovation of Poompuhar Sales Showroom, Coimbatore, it can improve our day to day sales by displaying more products for sales, and the volume of the entire showrooms will also increase by attracting more new customers.

# 5.2 Review and Monitoring

The tenderer shall be accountable to the TNHDC for the successful completion of the work for which TNHDC will hold a periodical review meeting. The TENDERER should attend the meeting without fail and report the progress to TNHDC. The decisions made during the review shall be strictly adhered to by the TENDERER for timely completion of the job.

# 5.3 Other Clauses

Please refer to the important clauses like Delivery Schedule, Payments, and Taxes, Service Level Agreement (SLA), Penalties, Exit Clause, etc., in the Contract.

# Annexure-1 Bidder's covering letter

	(Letter should be submitted in Bidders' Letter Head)	
	Letter ref.:	dated
To,		
The Managing Director		
Tamil Nadu Handicrafts Dev	elopment Corporation Ltd	
759 Anna Salai, Chennai – 60	00 002	
Dear Sir		

Dear Sir,

Undertaking for "Renovation of Poompuhar Sales Showroom, Coimbatore" - Reg. Sub:

Ref: Tender Reference \_\_\_\_

- 1. We have examined the "Renovation of Poompuhar Sales Showroom, Coimbatore" as specified in the Tender. We undertake to meet the requirements and provide the services as set out in the Tender document.
- 2. We attach our Technical Bid (Envelope-A) and Price Bid (Envelope-B) in separate sealed covers and placed inside an outer cover as required by the Tender conditions both of which together constitute our proposal, in full conformity with the said Tender.
- 3. We have read the provisions of this Tender and confirm that these are acceptable to us. We further declare that additional conditions and deviations, if any, found in our response shall not be given effect to.
- 4. We undertake, if our Bid is accepted, to adhere to the scope of work as specified in the Tender or such modified plan as may subsequently be agreed.
- 5. We agree to unconditionally accept all the terms and conditions set out in the Tender document and also agree to abide by this Bid response for a period as mentioned in the Tender from the date of bid opening and it shall remain binding upon us with full force and virtue, until within this period a formal contract is prepared and executed, this Bid response, together with your written acceptance thereof in your notification of award, shall constitute a binding contract between us and TNHDC.
- 6. We affirm that the information contained in the Technical Bid or any part thereof, including its exhibits, schedules, and other documents and instruments delivered or to be delivered to TNHDC is true, accurate, and complete. This proposal includes all information necessary to ensure that the statements therein do not in whole or in part mislead TNHDC as to any material fact.
- 7. We agree that TNHDC is not bound to accept the lowest or any Bid that may receive. We are also aware that you reserve the right in the absolute sense to reject all or any of the products/services specified in the bid response without assigning any reason whatsoever.
- 8. I hereby confirm that I am entitled to act on behalf of our organisation and empowered to sign the Bid document as well as such other documents. The Power of Attorney/ Letter of Authorisation required in this connection is enclosed in the Technical Bid.

Signature of the Authorised Signatory of Tender: Name of Authorised person: Designation of Authorised person Name and Address of Bidder: Stamp of bidder:

# **Annexure-2 Contract Terms**

(To be executed on an Rs. 20/- Stamp paper by the Successful Bidder)

This Contract entered into	this day of at Chennai b	etween;
The Tamil Nadu Handicraf	ts Development Corporation Ltd, having	g its Registered Office at 759 Anna Salai, Chennai
600 002 hereinafter referr	ed to as TNHDC (Which expression sha	Il unless repugnant to the context or meaning
thereof include its success	sors and assigns) of the First part.	
and		
M/s	_ having its Registered Office	hereinafter referred to as the TENDERER
(Which expression shall ur	nless repugnant to the context or mean	ing thereof include its successors and assigns) of
the Second part.		
Whereas TNHDC invited a	Tender "Renovation of Po	ompuhar Sales Showroom, Coimbatore" and the
TENDERER herein has bee	n selected in the Tender for the executi	ion of the work as detailed in the Tender
Documents.		
Miles and Thurbon and the state of	TENDEDED 's a service the service to	rrived at the following terms and conditions
Whatas inhii and the i	LEIGHTER ER IN NITTELIANTA THATANT NAVA 2	rriven at the following terms and conditions

# A1. Definitions

For the purposes of this Contract unless the subject or context otherwise requires the following terms expressed shall mean as under.

- 1. "Day" means a calendar day
- 2. "Month" means an English calendar month
- 3. "Applicable Law" means the Laws and any other instruments having the force of Law in Tamil Nadu as they may be issued and in force from time to time
- 4. "Services" means the work to be performed by the TENDERER as per the Scope of Work described in the Tender
- 5. "Contract" means this contract entered between TNHDC and TENDERER
- 6. "Whole Documents" means the documents listed under Whole Documents with all its appendices and annexure and any amendments thereto made in accordance with the provisions of Request for Proposal (RFP) document as the situation may deem necessary.
- 7. "Force Majeure" means an event that is unforeseeable, beyond the control of either party and not

- involving the affected party's wilful fault or negligence and materially affecting its capacity to perform its obligations.
- 8. "Material Breach" means not submitting any deliverables, as mentioned in the Scope of Work and not rectifying the default within the days of being notified of the default.
- 9. Other terms used in the Contract but not defined under this shall have the same meaning as assigned to such terms under the Information Technology Act, 2000 and the Companies Act, 1956, as the case may be, as amended from time to time.

# A2. Interpretations

- a) If the context so requires it, singular means plural and vice versa.
- b) Entire Agreement: The Contract constitutes the entire agreement between the TNHDC and the TENDERER and supersedes all communications, negotiations, and agreements (whether written or oral) of parties with respect thereto made prior to the date of Contract.
- c) Amendment: No amendment or other variation of the Contract shall be valid unless it is in writing, is dated, expressly refers to the Contract, and is signed by a duly authorised signatory of each party thereto.
- d) Any waiver of a party's rights, powers, or remedies under the Contract must be in writing, dated, and signed by an authorized signatory of the party granting such waiver, and must specify the right and the extent to which it is being waived.
- e) Severability: If any provision or condition of the Contract is prohibited or rendered invalid or unenforceable, such prohibition, invalidity or unenforceability shall not affect the validity or enforceability of any other provisions and conditions of the Contract.

# A3. Whole Documents

The following documents shall be deemed to form and be read and construed as part of this Contract.

- a) Tender Document in full issued by TNHDC
- b) Corrigenda, Clarifications, and Amendments issued by TNHDC for the Tender document
- c) Bid received from the TENDERER
- d) A detailed proposal and final offer of the TENDERER
- e) Notification of Award issued by TNHDC
- f) Purchase Order issued by TNHDC
- g) Correspondence made by both parties from time to time during the period of the contract.

# A4. Contract Period

This Contract shall remain in force for a period 9 days (Content delivery period plus additional content creation) from the date of signing of this Contract.

# A5. No Partnerships

This Contract shall not be interpreted or construed to create an association, joint venture or partnership among the Parties or to impose any partnership obligation or liability upon either Party. Neither Party shall have any right, power or authority to enter into any Contract to act on behalf of to bind the other Party.

# A6. No assignment

The Contract or any part share of interest in it shall not be transferred or assigned by the TENDERER directly or indirectly to any person without the prior consent in writing of the TNHDC, which consent the TNHDC shall be entitled to decline without assigning any reason.

# A7. Scope of Work

The nature of the work is to do "Renovation of Poompuhar Sales Showroom, Coimbatore"

The TNHDC aims to encourage and hone the talent of artisans by training them, helping them improve their product quality and providing them social security by marketing their products. The TNHDC builds capacities of the artisans and helping them to cater to the changing demands of consumers. It also helps nurture traditional culture, make these ancient arts and crafts flourish.

By this renovation of "Poompuhar Sales Showroom, Coimbatore", it can improve our day to day sales by displaying more products for sales, and the volume of the entire showrooms will also increase by attracting more new customers.

#### A8. Contract Price

This finally negotiated and agreed price is given below and the price is firm and not subject to enhancement. Wherever the offer conditions furnished by the TENDERER are at variance with conditions of this contract or conditions stipulated in the tender document, the latter shall prevail over the offer conditions furnished by the TENDERER.

### A9. Issue of Work Order

After payment of the Security Deposit and execution of the Contract, formal Work Order will be issued to the Successful Bidder by TNHDC. The payment will be based on the fulfilment of Work Orders issued from time to time.

# A10. Project Period

The work shall be completed within 90 days or 3 months from the date of handing over of site.

# A11. Payment Terms

1) No advance amount will be paid. The payment will be released. 95% of the work based on running bills to be certified by the Architect Consultant and concerned showroom Manager, TNHDC Ltd.,

#	Milestones	No of weeks	Payment mode
1.	Preparation of the site	1 week	-
2	Completion of the Civil Works	4 weeks	25%
3.	Finishing of the internal works - Plastering, Tile works, Electrical & Plumbing, etc.	3 weeks	25%
4.	Completion of false ceiling works, AC,Lighting fixture & Painting	2 weeks	20%
5.	Completion of all internal furniture works- Display racks, Billing counters	1 weeks	20%
6.	Cleaning and handling of the site	1 week	5%

2) Balance 5% payment will be retained as a performance guarantee till expiry of the contract period.

## A12. Taxes

The Taxes as applicable for the services within the Delivery Schedule as specified in the Contract will be paid. In case, the Taxes have been reduced retrospectively, the TENDERER is liable to refund the same. The TENDERER shall have full and exclusive liability for the remittance of Taxes and other statutory payments like labour welfare fund, etc., to the respective statutory authorities payable under any or all of the Statutes/ Laws/ Acts etc., now or hereafter imposed. The TENDERER shall submit the proof of Tax remittance to TNHDC when sought.

### A13. Termination of Contract

### A13.1 Termination for default

- 1) TNHDC may without prejudice to any other remedy for breach of contract, by written notice of default with a notice period of 15 days, sent to the TENDERER, terminate the contract in whole or part;
  - (i) If the TENDERER fails to deliver any or all of the goods/services within the period specified in the Contract or fails to supply the items/services as per the Delivery Schedule or within any extension thereof granted by TNHDC; or
  - (ii) If the TENDERER fails to perform any of the obligations under the contract; or
  - (iii) If the TENDERER, in the considered judgment of TNHDC, has engaged in fraudulent and corrupt practices in competing for or in executing the Contract.

In the event TNHDC terminates the Contract in whole or in part, TNHDC may procure, upon terms and in such manner as it deems appropriate, the goods and services similar to those delivered and the TENDERER shall be liable to TNHDC for any additional costs for such similar goods/services. However, the TENDERER shall continue the performance of the contract to the extent not terminated.

# A13.2 Termination for Insolvency

The TNHDC may at any time terminate the Contract by giving written notice with a notice period of 15 days to the TENDERER if the TENDERER becomes bankrupt or otherwise insolvent. In this event, the termination will be without compensation to the TENDERER, provided that such termination will not prejudice or affect any right of action or remedy that has accrued or will accrue thereafter to TNHDC.

### A13.3 Effects of Termination

- 1) In the event of termination of this Contract by the TNHDC, the compensation payable to the TENDERER will be decided in accordance with the Terms of Payment for the milestones completed by the TENDERER and duly accepted by TNHDC.
- 2) Upon issuance of notice for termination of this Contract by TNHDC, the Parties shall mutually agree upon a transition plan and comply with such a plan. The TENDERER agrees to extend full cooperation and support during the transition process.
- 3) In the event of termination, before the expiry of the contract or otherwise, TENDERER agrees to return all the data, documents, reports and other assets provided by TNHDC for the purpose of fulfilling the finalized Scope of Work.

# A14. Fraudulent Practice

The TENDERER represents and undertakes that the TENDERER has not given or promised to give directly or indirectly to any person in TNHDC, the bribes or the TENDERER involved in fraudulent practices in obtaining the Contract. Any breach of this undertaking by TENDERER or anyone employed by them entitles TNHDC to terminate the Contract either wholly or in part and recover from TENDERER any loss arising from such termination without any entitlement or compensation to TENDERER. The TNHDC will blacklist the TENDERER from bidding any Tender of TNHDC for a minimum period of one year. A decision of TNHDC to the effect of a breach of the undertaking shall be final and binding on TENDERER.

# A15. Co-operation

The TNHDC will provide all the necessary information, data, and reports needed by the TENDERER in time and manner for fulfilling the contractual obligations. The TNHDC will grant necessary consents, approvals, authorizations, and communication with external agencies from time to time as needed by the TENDERER. The TNHDC will provide replies within reasonable timeframe, on all requests and queries submitted by TENDERER to carry out the obligations.

# A16. Liquidated Damages (LD)

In the event of non-fulfilment of Tender conditions/agreement terms by the VENDOR, a Liquidated Damage at the rate of 1% (One percentage) per week on the amount of security deposit payable to THDC will be levied subject to a maximum of 5% (Five percentage).

# A17. Indemnity

The TENDERER shall indemnify, defend and hold the TNHDC and their officers, employees, successors and assigns harmless from and against any and all losses arising from personal injury or claims by third parties pursuant to this Contract, including but not limited to any equipment, software, information, methods of operation or other intellectual property (or the access, use or other rights thereto) provided by the TENDERER or its sub-contractors or its associated agencies or any act, default or omission of any of them in relation to this agreement.

# A18. Severability

If for any reason whatever, any provision of this Contract is or becomes invalid, illegal or unenforceable or is so declared by any Honourable Courts of competent jurisdiction, the validity, legality or enforceability of the remaining provisions shall not be affected in any manner, and the Parties will negotiate in good faith with a view to agreeing to one or more provisions which may be substituted for such invalid, unenforceable or illegal provisions, as nearly as is practicable.

# A19. Limitation of Liability

The aggregate liability of the TENDERER under this Contract or otherwise in connection with the work to be performed hereunder, shall in no event exceed the contract price.

## A20. Refund of SD

The Security Deposit will be refunded to the TENDERER upon successful completion of the Contract. Such completion would be determined when the Contractual obligations are fulfilled as per the Contract terms and fulfilment of Work Orders issued by TNHDC from time to time.

# A21. Intellectual Property Rights (IPR)

- The ownership and IPR of the deliverables made under this Contract would always rest with the TNHDC. The ownership and IPR of the Proprietary tools and/or other tools used by the TENDERER or third party or parties for the purpose of design, development and making the deliverables would always rest with the respective parties.
- 2) In relation to any inventions, discoveries or other Intellectual Property Rights, the TENDERER shall make full and complete disclosure to the TNHDC including any or all information in the TENDERER's possession relating to their IPR/patentability if any.
- 3) Not withstanding anything contrary contained herein, the TENDERER shall defend, indemnify and hold harmless the Tamil Nadu Handicrafts Development Corporation or its employees or its

affiliates against any suit or claim brought by a third party that a possession or use of software, programs, hardware, materials or documents infringes such third parties Intellectual Property Rights or its misuse of its confidential information by the TENDERER.

### A22. Notices

Any notice from one party to other given or required to be given hereunder shall be given by either:

- Mailing the same by registered mail, postage prepaid, return receipt requested; or
- 2) Having the same delivered by courier with receipt acknowledged at the address set forth above or with other addresses and to the attention of such other person or persons as may hereafter be designated by like notice hereunder and any such notice shall be deemed to have been served if sent by post on the date when in the ordinary course of post, it would have been delivered at the addresses to which it was sent or if delivered by courier on the date of acknowledgment of receipt.

# A23. Force Majeure

Neither TNHDC nor the TENDERER shall be liable to the other for any delay or failure in the performance of their respective obligations except causes or contingencies beyond their reasonable control due to Force Majeure conditions such as:

- Any act of God such as lightning, earthquake, landslide, etc or other events of natural disaster of rare severity
- 2) Meteorites or objects falling from aircraft or other aerial devices, traveling at high speeds
- 3) Fire or explosion, chemical or radioactive contamination or ionizing radiation
- 4) Epidemic or plague
- Act of war (whether declared or undeclared), the threat of war, invasion, armed conflict or act of a foreign enemy, unexpected call up of armed forces, blockade, embargo, revolution, riot, religious strife, bombs or civil commotion, sabotage, and terrorism

### A24. Arbitration

- Any dispute or difference whatsoever arising between the parties to the Contract, out of or relating to the construction, meaning, scope, operation or effect of the Contract or validity of the breach thereof, which cannot be resolved through negotiation process, shall be referred to a sole Arbitrator to be appointed by the Chairman and Managing Director of TNHDC. The Arbitration shall be held in Chennai, Tamil Nadu and the language shall be English only.
- 2) It is a term of the contract that the party invoking arbitration shall specify all disputes to be referred to arbitration at the time of invocation of arbitration and not thereafter.
- 3) It is also a term of the contract that neither party to the contract shall be entitled to seek interest and the arbitrator should not grant interest.

- 4) The Arbitral Tribunal shall give the reasoned award and the same shall be final, conclusive and binding on the parties.
- 5) The venue of the arbitration shall be the Chennai and language English.
- 6) The fees of the arbitrator and expenses incidental to the arbitration proceedings shall be borne equally by the parties.
- Subject to as aforesaid, the provisions of the Arbitration and Conciliation Act 1996 and any statutory modifications or re-enactment in lieu thereof shall apply to the arbitration proceedings under this clause.
- 8) Jurisdiction: Subject to the above, the Courts in Chennai, Tamil Nadu alone shall have jurisdiction in this matter.

### A25. Exit Clause

- At the time of the expiry of the contract period, as per the contract between the parties, the TENDERER should ensure a complete knowledge transfer by their deployed professional to the TNHDC staff within a period of 2 weeks.
- The TENDERER at the time of exit shall submit all information relating to the services rendered including but not limited to documents, records, configuration, bugs/errors and its resolutions relating to the services reasonably necessary to TNHDC or any other agency identified by TNHDC to carry out due diligence in order to transition the provision of services or any other agency identified. All properties provided by the TNHDC shall be returned. Any authorisations or letters issued by TNHDC for using the name of TNHDC on the field shall be null and void.
- 3) The updated contents or programs created under the contract shall be the property of TNHDC and should be handover by the TENDERER to TNHDC before the exit of the contract. The TENDERER shall not retain any copy of programs or contents in any form and a declaration to this respect shall be given by the TENDERER to TNHDC.

In Witness whereof the parties hereto have signed on the day, month and year above written in the presence of

	For and on behalf of TENDERER		For and on behalf of TNHDC
Witness:		Witness:	
Witness:		Witness:	



# **Request for Proposal (RFP)**

# Renovation of Poompuhar Sales Showroom, Coimbatore

Tender Ref.: TNHDC/727/M1/21-22-I

# <u>Volume-2</u> Technical Bid (Envelope-A)

The Tamil Nadu Handicrafts Development Corporation Ltd (TNHDC)

759 Anna Salai, Chennai – 600 002 Phone:(044) 2852 1271/1325/5094 Fax: (044) 2852 4231

Email: tamilnaduhandicrafts@yahoo.co.in

# Technical Bid (Envelope-A)

T1.	Earnest Money Deposit details		
#	Descriptions	Please fill up the details	
1.	Name of the Bank		
2.	Demand Draft (DD) Number		
3.	DD Date		
4.	DD Amount		

# T2. Bidder's Bank Account Details

#	Descriptions	Please fill up the details
1.	Bank Name	
2.	Branch Name and address	
3.	Account No.	
4.	IFSC code	
5.	MICR code	

# T3. Furnish details for meeting the Eligibility Criteria

# T3.1 Bidder's Legal Status

#	Description	Please fill up the details
1.	Name of the Bidder	
2.	Legal Status (Company/ Partnership/ Proprietaryship)	
3.	Certificate of Registration or Firm Registration no. and date	
4.	Registered office address in the State of Tamil Nadu, contact person, Personal Telephone No., and Email	
5.	Authorised Signatory of Tender	
	Name	
	Designation	
	Office Address	
	Personal Telephone Number	
	Email Address	
	Please enclose Letter of Authorisation or Power of Attorney to sign and submit the Tender	
6.	Permanent Account Number (PAN) details and enclose copy	
7.	Please furnish GST registration no. and date and enclose a copy	

# T3.2 Bidder's Overall Experience

#	Description	Please fill up the details
1.	No. of years' experience in the field of construction/ renovation / interior designing works.	From Year: To Year: No. of Years:
2.	Please furnish details of work orders executed	
3.	Customer name	
4.	Project name	
5.	Work Order or Agreement reference	
6.	Project status	
7.	Work completion certificates	
8.	Enclose a copy of the Work Order or Agreement	

# T3.3 Bidder's relevant experience

#	Description	Work Order-1	Work Order-2	Work Order-3
1.	Customer name			
2.	Project name			
3.	Project description			
4.	Geographical spread			
5.	Value of the order			
6.	Work Order reference			
7.	Current status of the project			
8.	Enclose copies of the Work Order			
9.	Enclose a copy of completion certificate or performance certificate issued by the customer			

# T3.4 Bidder's Annual Turnover

#	Description	Please fill up the details
1.	Year 2020-2021	
2.	Year 2019-2020	
3.	Year 2018-2019	
4.	Average Annual Turnover for the last 3 Audited Financial Years	
5.	Please enclose Auditor's Certificate, Annual Report, and Profit & Loss statement for the above Audited Financial years	

# T3.5 Bidder's local Office details

#	Description	Please fill up the details
1.	Bidder's local office address in the State of Tamil Nadu	
2.	Name of the local representative and contact details	
3.	Copy of the office landline phone bill/ rent agreement/ rent receipt	

# T4. Work Plan Schedule

The format of a work plan schedule is given below for reference. The work plan schedule shall be prepared covering the tasks of all phases.

#	Task	Skillset	Man-month	Timeline in Months (M)			
				M-1	M-2	M-3	M-4
1	Preparation of the site						
2	Completion of the Civil Works						
3	Finishing of the internal works - Plastering, Tile works, Electrical & Plumbing, etc.						
4	Completion of false ceiling works, AC, Lighting fixture & Painting						
5	Completion of all internal furniture works- Display racks, Billing counters						
6	Cleaning and handling of the site						

Signature of the Authorised Signatory of Tender: Name of Authorised person: Designation of Authorised person Name and Address of Bidder: Stamp of bidder:



# **Request for Proposal (RFP)**

# Renovation of Poompuhar Sales Showroom, Coimbatore

**Tender Ref.: TNHDC/727/M1/21-22-II** 

# <u>Volume-3</u> Price Bid (Envelope-B)

The Tamil Nadu Handicrafts Development Corporation Ltd (TNHDC)

759 Anna Salai, Chennai – 600 002 Phone:(044) 2852 1271/1325/5094 Fax: (044) 2852 4231

Email: tamilnaduhandicrafts@yahoo.co.in

# Price Bid (Envelope-B)

# PROJECT NAME: RENOVATION OF POOMPUHAR SALES SHOWROOM, COIMBATORE

#### ABSTRACT ESTIMATE SHEET

RENOVATION OF POOMPUHAR SALES SHOWROOM, COIMBATORE				
S.NO	DESCRIPTION	AMOUNT		
1	CIVIL WORK			
2	ELECTRICAL WORK			
3	INTERIOR WORK			
	TOTAL			
	GST VALUE			
	GRAND TOTAL			

Signature of the Authorised Signatory of Tender: Name of Authorised person: Designation of Authorised person Name and Address of Bidder: Stamp of bidder:

T4.1 BOQ - CIVIL & STRUCTURAL WORKS								
	The Detailed Estimate & Abstract for Proposed Con	structio	n of Poompu	ihar at Coimb	oatore .			
SI.NO	PARTICULARS	UNIT	QUANTITY	RATE	AMOUNT			
1.00	EXCAVATION							
1.00	EXCAVATION  Contractor shall take all required permissions from the appropriate authorities for Excavation, Blasting, Carting away materials etc. and shall bear all the expenses for the same.  Rate includes removal of all kinds of vegetation,small shrubs etc. Dewatering water to be let out of the building area through proper pipes & channels if required. The contractor at his own expenses shall water very well, ram and thoroughly, consolidate the bottom of all excavations & ground before the construction of foundation/footing/plinth beam, filling in basement floor or other work is commenced. The rate for excavation shall include for shoring sides or trenches with approved timber/steel accessories wherever necessary to prevent sides from falling including bailing or pumping out of water if necessary and include If there are any shrubs, bushes, trees, roots of the trees to be removed for min depth 5'0". Lift & lead outside campus are to be considered to suit the local regulations, including removal of old foundation. Contour level to be taken jointly with the Project Manager and prior written approval be taken before starting any excavation/ filling at every 3 / 5 mt grids for arriving at the actual quantity. Measurements for filling will be taken for consolidated thickness only .Cost to include all and necessary royalty and other permission charges required to execute the works.  Unless noted otherwise measurements shall be							

				1	ı
1.01	General / Mass Excavation by mechanical means in all types of soil including dense soil, disintegrated/ weathered/ soft rock including necessary manual excavation for dressing the edges & leveling, all leads and lifts, Rate to include lifting, conveying and including stacking excavated material within site premises of 3km radius at approved location, dewatering of both ground and surface water, removal of slurry generated while excavation and keeping the area free of water with necessary shoring, strutting, required for keeping earth in position, including removal of old foundations etc, excavating loose pockets and compacting the same. Note:PCC area shall be considered for measurement (Working space & provision of slopes if required for execution shall not be paid separately).				
2	Footing Excavation				
а	i) From 0'0" to 5'0"	cft	907.50		
	ii) From 5'0" to 10'0"	cft	907.50		
h	Plinth Beam Excavation	cft	179.44		
b		CIL	1/9.44		
1.02	Carting away and disposal of surplus earth / excavated rock inside the site premises within 3km radius to the distance place not objected by civic / local authorities as directed by engineer-in-charge including loading, unloading etc. complete.  MODE OF MEASUREMENT for this item shall be as follows:  1) Loose earth or truck loads shall not be measured and paid for.  2) The quantity of disposal shall be worked out based on the excavation quantities after deducting the quantity of back filling.	cft	429.56		

1.03	Supply and Filling in foundations, Basement and the area wherever specified with approved good quality filling materials in plinths, area development etc. wherever specified in layers of not exceeding 150 mm thick including breaking clods, storing, transportation, double handling, watering, compacting each layer with vibratory compactor and at unaccessible places with wooden/steel rammers to achieve 90 to 95% proctor density at optimum moisture content, all leads and lifts, bailing/ pumping out of water to keep site dry while backfilling; cost shall include conveyance of all materials, labour, machinery etc. complete as directed. The rate to includes loading, unloading, hire and fuel charges for tools and plants and other incidental charges etc., complete.  Note: The mode of measurement for payment shall be the net compacted volume of filling PCC area shall be considered for measurement (Working space & provision of slopes if required for execution shall not be paid separately) after deduction of volume occupied by the structure. Block levels at the place of depositing of sand at intervals as directed by the engineer-in-charge should be jointly recorded by the contractor's representative and engineer-in-charge before depositing of sand. Such levels shall be used for calculating the quantity of sand deposited.			
а	ReFilling with Excavated Soil	cft	657.38	
b	Filling with well gravel brought from outside	cft	1,884.00	
1.04	ANTI-TERMITE TREATMENT WORKS			
1.07	Providing Pre-construction anti-termite measures as per specification to be got executed by a firm approved by the engineer-in-charge for the protection of the building from attack by subterranean termites in accordance with IS 6313 part II 1981.  MODE OF MEASUREMENT: Plinth area at ground floorlevel only shall be measured and paid for.  The Contractor has to furnish min of 10 years of guarantee bond as per the format required by Client.			
а	Stage -1 Footing Level	sft	181.50	
b	Stage - 2 Plinth Level	sft	119.63	
С	Stage - 3 Floor Level	sft	420.00	

1.05	PLAIN CEMENT CONCRETE			
	Providing and laying P.C.C. 1:5:10 of specified			
	thickness. wherever specified using m sand, 40mm			
	and down size metal including sub grade			
	preparation, leveling, all leads and lifts, rough finishing			
	at the top surface, curing and shuttering if necessary			
	etc.,	_		
а	Foundation PCC	cft	90.75	
b	Grade beam PCC	cft	59.81	
	SUB TOTAL - EARTH WORK / ANT	T TREATI	MENT / PCC	
2.00	CONTROLLED CEMENT / READY MIX CONCRETE			
	Providing and laying machine mixed Design Mix			
	concrete of specified grade at all levels and heights			
	specified below using ordinary Portland cement of			
	grade 43 from approved manufacturer, m sand,			
	20mm and down size coarse aggregates, including all			
	leads and lifts vibrating/ compaction, scaffolding			
	wherever necessary, curing as directed, excluding			
	cost of shuttering and centering. (The mix proportion shall bedone through weigh batching machine only).			
2.01	COLUMN FOOTING - M25 Grade	cft	243.00	
2.01	COLOMIN TOOTHING - MIZS Grade	CIT	243.00	
2.02	COLUMNS CONCRETE			
	M25 Grade			
a	Below Ground Floor	cft	36.00	
b	Ground Floor	cft	45.00	
С	First Floor	cft	45.00	
d	Terrace Floor	cft	24.00	
2.03	GRADE BEAM / ROOF BEAM			
	M20 Grade			
а	Grade beam	cft	59.81	
b	Terrace Floor	cft	59.85	

2.04	ROOF SLAB			
	M20 Grade			
d	Terrace Floor	cft	420.00	
2.05	STAIRCASE WAIST SLAB CONCRETE			
	M20 Grade			
а	Ground Floor	cft	47.31	
b	First Floor	cft	47.31	
С	Midlanding Slab	cft	36.00	
2.06	SILL BEAM CONCRETE M20 Grade			
a b	Ground Floor First Floor	Rft Rft	79.80 225.00	
C	Terrace Floor	Rft	79.80	
2.07	LINTEL CONCRETE			
	M20 Grade			
a	Ground Floor	cft	19.95	
b	First Floor	cft	76.20	
С	Terrace Floor	cft	19.95	
2.11	WEATHERING COURSE			
a	Weathering course with brick jelly 40mm size in pure slaked lime (no sand) over roof slab , proportions of brick jelly to lime being 1 Cu.m. to 4.0 Cum. Well beaten with wooden treaters giving required slope & thickness one course of flat clay tiles of approved quality in C.M 1:4 mixed with water proofing compound & pointed with cement & redoxide mixed etc., complete with relevant std., specifications.	sft	420.00	
	SUB TOTAL - REINFORCED CI	MENT	ONCRETE	

3.00	FORM WORK			
	Providing, fabricating and erecting form work at all levels			
	and places and profiles wherever			
	needed/specified as per drawing including striking with			
	12mm Plastic coated, marine resistant waterproof			
	ply/Smooth finished MS plates with adjustable steel props of			
	acceptable Staging system and with sufficient bracing as			
	approved by consultant. Cost to include designing of proper			
	form work and staging system to suit the			
	requirements, Submission of design calculations and shop			
	drawings for approval, sealing the joints with heavy duty			
а	brown self adhesive tape, aligning to line and levels			
	including M.S. Ties, PVC Spacer, Providing openings/ cutouts/			
	pockets, applying deshuttering chemical, Deshuttering as			
	approved by the consultant etc., complete at all levels,			
	double/tripple heights and profiles for Note : Only plan area			
	shall be considered. No extra shall be paid for Side shuttering			
	of Drop panel/column capitals.			
	1)Plywood shuttering shall be considered for all vertical			
	elements, beam soffit, core			
	walls,stairs,ramps,tanks,RCC pedestals Etc.,			
b	2)			
	M.S. plates shall be considered for foundation, slabs only.			
	3) Shuttering & deshuttering sequence shall be 100%			
	,80% & 40% from the slab to be cast respectively.			
3.01	COLUMN FOOTING	sft	216.00	
3.02	COLUMN			
5.52				
а	Below Ground Floor	sft	168.00	
b	Ground Floor	sft	210.00	
С	First Floor	sft	210.00	
d	Terrace Floor	sft	112.00	
3.03	GRADE BEAM / ROOF BEAM			
-		· ·	464.00	
<u>а</u>	Grade Beam	sft	161.00	
b	Terrace Floor	sft	199.50	
2.04	ROOF SLAB			
3.04	NOOF SLAD			
а	Terrace Floor	sft	420.00	
3.05	STAIRCASE WAIST SLAB			 
	Ground Floor	sft	151.62	
a b	First Floor	sft	151.62	
C	Mid Landing Slab	sft	72.00	
	Think Earlianing Stab	JIL	, 2.00	
1				

b First Floor Rft 150.00 c Second Floor Rft 79.80  3.07 LINTEL BEAM  a Ground Floor Sft 79.80 b First Floor Sft 150.00 c Terrace Floor Sft 79.80  SUB TOTAL - FORM WORK  4.00 STEEL Fabricating & fixing in position reinforcement for RCC work with high yield strength ribbed cold twisted tor steel (HSD) bar of various diameters and grade of steel as specified below conforming to IS specification including cutting, providing, supplying & bending, hoisting, fabricating and placing in position according to drawings and binding the reinforcement with galvanised annealed binding wire of double fold of 18 gauge and providing PVC cover blocks for placing the reinforcements in position and for maintaining the cover specified and/or according to relevant IS.  Note: Unless noted otherwise the measurements in accordance with IS 1200. However reinforcement shall be measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates. Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000 MT 1.50	3.06	SILL BEAM			
b First Floor Rft 150.00 c Second Floor Rft 79.80  3.07 LINTEL BEAM  a Ground Floor Sft 150.00 b First Floor Sft 150.00 c Terrace Floor Sft 150.00 c Terrace Floor Sft 79.80  SUB TOTAL - FORM WORK  4.00 STEEL  Fabricating & fixing in position reinforcement for RCC work with high yield strength ribbed cold twisted tor steel (HSD) bar of various diameters and grade of steel as specified below conforming to IS specification including cutting, providing, supplying & bending, hoisting, fabricating and placing in position according to drawings and binding wire of double fold of 18 gauge and providing PVC cover blocks for placing the reinforcements in position and for maintaining the cover specified and/or according to relevant IS.  Note: Unless noted otherwise the measurements in accordance with IS 1200. However reinforcement shall be measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates. Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000 MT 1.50					
LINTEL BEAM  a Ground Floor	а	Ground Floor	Rft	79.80	
a Ground Floor sft 79.80 b First Floor sft 150.00 c Terrace Floor sft 79.80  SUB TOTAL - FORM WORK  4.00 STEEL  Fabricating & fixing in position reinforcement for RCC work with high yield strength ribbed cold twisted tor steel (HSD) bar of various diameters and grade of steel as specified below conforming to 1S specification including cutting, providing, supplying & bending, hoisting, fabricating and placing in position according to drawings and binding the reinforcement with galvanised annealed binding wire of double fold of 18 gauge and providing PVC cover blocks for placing the reinforcements in position and for maintaining the cover specified and/or according to relevant IS.  Note: Unless noted otherwise the measurements in accordance with IS 1200. However reinforcement shall be measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates. Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000 MT 1.50	b	First Floor	Rft	150.00	
a Ground Floor sft 79.80 b First Floor sft 150.00 c Terrace Floor sft 150.00 c Terrace Floor sft 79.80 c Terrace Floor sft 79.80 c Floor sft 79.80 c Floor sft 79.80 c SUB TOTAL - FORM WORK students of the strength of the s	С	Second Floor	Rft	79.80	
a Ground Floor sft 79.80 b First Floor sft 150.00 c Terrace Floor sft 150.00 c Terrace Floor sft 79.80 c Terrace Floor sft 79.80 c Floor sft 79.80 c Floor sft 79.80 c SUB TOTAL - FORM WORK students of the strength of the s					
SUB TOTAL - FORM WORK  4.00 STEEL  Fabricating & fixing in position reinforcement for RCC work with high yield strength ribbed cold twisted tor steel (HSD) bar of various diameters and grade of steel as specified below conforming to IS specification including cutting, providing, supplying & bending, hoisting, fabricating and placing in position according to drawings and binding the reinforcement with galvanised annealed binding wire of double fold of 18 gauge and providing PVC cover blocks for placing the reinforcements in position and for maintaining the cover specified and/or according to relevant IS.  Note: Unless noted otherwise the measurements in accordance with IS 1200. However reinforcement shall be measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates. Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000  MT 1.50	3.07	LINTEL BEAM			
SUB TOTAL - FORM WORK  4.00 STEEL  Fabricating & fixing in position reinforcement for RCC work with high yield strength ribbed cold twisted tor steel (HSD) bar of various diameters and grade of steel as specified below conforming to IS specification including cutting, providing, supplying & bending, hoisting, fabricating and placing in position according to drawings and binding the reinforcement with galvanised annealed binding wire of double fold of 18 gauge and providing PVC cover blocks for placing the reinforcements in position and for maintaining the cover specified and/or according to relevant IS.  Note: Unless noted otherwise the measurements in accordance with IS 1200. However reinforcement shall be measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates. Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000  MT 1.50					
SUB TOTAL - FORM WORK  4.00 STEEL  Fabricating & fixing in position reinforcement for RCC work with high yield strength ribbed cold twisted tor steel (HSD) bar of various diameters and grade of steel as specified below conforming to IS specification including cutting, providing, supplying & bending, hoisting, fabricating and placing in position according to drawings and binding the reinforcement with galvanised annealed binding wire of double fold of 18 gauge and providing PVC cover blocks for placing the reinforcements in position and for maintaining the cover specified and/or according to relevant IS.  Note: Unless noted otherwise the measurements in accordance with IS 1200. However reinforcement shall be measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates. Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000  MT 1.50	а	Ground Floor	sft	79.80	
4.00 STEEL  Fabricating & fixing in position reinforcement for RCC work with high yield strength ribbed cold twisted tor steel (HSD) bar of various diameters and grade of steel as specified below conforming to IS specification including cutting, providing, supplying & bending, hoisting, fabricating and placing in position according to drawings and binding the reinforcement with galvanised annealed binding wire of double fold of 18 gauge and providing PVC cover blocks for placing the reinforcements in position and for maintaining the cover specified and/or according to relevant IS.  Note: Unless noted otherwise the measurements in accordance with IS 1200. However reinforcement shall be measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates. Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000  MT 1.50	b	First Floor	sft		
Fabricating & fixing in position reinforcement for RCC work with high yield strength ribbed cold twisted tor steel (HSD) bar of various diameters and grade of steel as specified below conforming to IS specification including cutting, providing, supplying & bending, hoisting, fabricating and placing in position according to drawings and binding the reinforcement with galvanised annealed binding wire of double fold of 18 gauge and providing PVC cover blocks for placing the reinforcements in position and for maintaining the cover specified and/or according to relevant IS.  Note: Unless noted otherwise the measurements in accordance with IS 1200. However reinforcement shall be measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates. Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000  MT 1.50	С	Terrace Floor	sft	79.80	
Fabricating & fixing in position reinforcement for RCC work with high yield strength ribbed cold twisted tor steel (HSD) bar of various diameters and grade of steel as specified below conforming to IS specification including cutting, providing, supplying & bending, hoisting, fabricating and placing in position according to drawings and binding the reinforcement with galvanised annealed binding wire of double fold of 18 gauge and providing PVC cover blocks for placing the reinforcements in position and for maintaining the cover specified and/or according to relevant IS.  Note: Unless noted otherwise the measurements in accordance with IS 1200. However reinforcement shall be measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates. Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000  MT 1.50					
Fabricating & fixing in position reinforcement for RCC work with high yield strength ribbed cold twisted tor steel (HSD) bar of various diameters and grade of steel as specified below conforming to IS specification including cutting, providing, supplying & bending, hoisting, fabricating and placing in position according to drawings and binding the reinforcement with galvanised annealed binding wire of double fold of 18 gauge and providing PVC cover blocks for placing the reinforcements in position and for maintaining the cover specified and/or according to relevant IS.  Note: Unless noted otherwise the measurements in accordance with IS 1200. However reinforcement shall be measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates.  Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000  MT 1.50		SUB TOTAL - FORM WOI	RK		
Fabricating & fixing in position reinforcement for RCC work with high yield strength ribbed cold twisted tor steel (HSD) bar of various diameters and grade of steel as specified below conforming to IS specification including cutting, providing, supplying & bending, hoisting, fabricating and placing in position according to drawings and binding the reinforcement with galvanised annealed binding wire of double fold of 18 gauge and providing PVC cover blocks for placing the reinforcements in position and for maintaining the cover specified and/or according to relevant IS.  Note: Unless noted otherwise the measurements in accordance with IS 1200. However reinforcement shall be measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates.  Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000  MT 1.50					
with high yield strength ribbed cold twisted tor steel (HSD) bar of various diameters and grade of steel as specified below conforming to IS specification including cutting, providing, supplying & bending, hoisting, fabricating and placing in position according to drawings and binding the reinforcement with galvanised annealed binding wire of double fold of 18 gauge and providing PVC cover blocks for placing the reinforcements in position and for maintaining the cover specified and/or according to relevant IS.  Note: Unless noted otherwise the measurements in accordance with IS 1200. However reinforcement shall be measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates. Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  MT 1.50	4.00				
bar of various diameters and grade of steel as specified below conforming to IS specification including cutting, providing, supplying & bending, hoisting, fabricating and placing in position according to drawings and binding the reinforcement with galvanised annealed binding wire of double fold of 18 gauge and providing PVC cover blocks for placing the reinforcements in position and for maintaining the cover specified and/or according to relevant IS.  Note: Unless noted otherwise the measurements in accordance with IS 1200. However reinforcement shall be measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates. Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000  MT 1.50					
below conforming to IS specification including cutting, providing, supplying & bending, hoisting, fabricating and placing in position according to drawings and binding the reinforcement with galvanised annealed binding wire of double fold of 18 gauge and providing PVC cover blocks for placing the reinforcements in position and for maintaining the cover specified and/or according to relevant IS.  Note: Unless noted otherwise the measurements in accordance with IS 1200. However reinforcement shall be measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates.  Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000  MT 1.50		with high yield strength ribbed cold twisted tor steel (HSD)			
providing, supplying & bending, hoisting, fabricating and placing in position according to drawings and binding the reinforcement with galvanised annealed binding wire of double fold of 18 gauge and providing PVC cover blocks for placing the reinforcements in position and for maintaining the cover specified and/or according to relevant IS.  Note: Unless noted otherwise the measurements in accordance with IS 1200. However reinforcement shall be measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates. Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000  MT 1.50		bar of various diameters and grade of steel as specified			
placing in position according to drawings and binding the reinforcement with galvanised annealed binding wire of double fold of 18 gauge and providing PVC cover blocks for placing the reinforcements in position and for maintaining the cover specified and/or according to relevant IS.  Note: Unless noted otherwise the measurements in accordance with IS 1200. However reinforcement shall be measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates. Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000  MT 1.50		below conforming to IS specification including cutting,			
4.01 reinforcement with galvanised annealed binding wire of double fold of 18 gauge and providing PVC cover blocks for placing the reinforcements in position and for maintaining the cover specified and/or according to relevant IS.  Note: Unless noted otherwise the measurements in accordance with IS 1200. However reinforcement shall be measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates. Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000 MT 1.50		providing, supplying & bending, hoisting, fabricating and			
double fold of 18 gauge and providing PVC cover blocks for placing the reinforcements in position and for maintaining the cover specified and/or according to relevant IS.  Note: Unless noted otherwise the measurements in accordance with IS 1200. However reinforcement shall be measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates.  Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000  MT 1.50		placing in position according to drawings and binding the			
placing the reinforcements in position and for maintaining the cover specified and/or according to relevant IS.  Note: Unless noted otherwise the measurements in accordance with IS 1200. However reinforcement shall be measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates. Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000  MT 1.50	4.01	reinforcement with galvanised annealed binding wire of			
the cover specified and/or according to relevant IS.  Note: Unless noted otherwise the measurements in accordance with IS 1200. However reinforcement shall be measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates.  Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000  MT 1.50		double fold of 18 gauge and providing PVC cover blocks for			
Note: Unless noted otherwise the measurements in accordance with IS 1200. However reinforcement shall be measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates. Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000  MT 1.50		placing the reinforcements in position and for maintaining			
accordance with IS 1200. However reinforcement shall be measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates. Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000 MT 1.50		the cover specified and/or according to relevant IS.			
measured only in lengths of bars as actually placed in position on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates.  Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000 MT 1.50		Note : Unless noted otherwise the measurements in			
on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates.  Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000 MT 1.50		accordance with IS 1200. However reinforcement shall be			
on standard weight basis, no allowance being made in the weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates.  Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000 MT 1.50		measured only in lengths of bars as actually placed in position			
weight for rolling margin. Authorised laps and splices only will be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates.  Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000 MT 1.50		, , , , , , , , , , , , , , , , , , , ,			
be measured. Chairs of any shape & profile, Spacer bar of any shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates.  Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000 MT 1.50		_			
shape & profile, cover block, wastage and binding wire will not be measured and shall be included in the quoted rates.  Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000 MT 1.50					
not be measured and shall be included in the quoted rates.  Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000 MT 1.50					
Quoted rate shall be deemed to have considered the above stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000 MT 1.50					
stipulation. Quoted rate to include lead, lift, placing at all levels and as directed.  Fe 500 - 75,000  MT 1.50		•			
levels and as directed.					
Fe 500 - 75,000 MT 1.50		· -			
			MT	1 50	
		75,000	1411	1.50	
ISUB TOTAL - STEEL		SUB TOTAL - STEEL	<u> </u>	<u> </u>	

5.00	MASONARY WORK			
	Note:			
	Rate for work shall include for cutting chases for			
	lintel/sunshade pipes etc. grouting the gaps			
	between wood or steel frames and brick work and			
	making good later to match the original. The			
	brick work joints shall be raked to receive the			
	plaster.			
	The rate shall include providing			
	necessary holes/pockets/vent of any shape/size for			
	Architectural purpose wherever necessary.			
	Quoted rate shall also include construction of			
	wall shaped as curves/diagonal and/or any			
	angular, Staircase steps etc.			
	First class ground moulded approved quality bricks			
	shall be used, and proper test report shall be			
	produced before using.			
	Providing and constructing at all levels <b>6" Solid</b>			
	<b>Block</b> with 1st class of approved quality in CM 1:6 including all scaffolding, ladders, platforms,			
5.01	staging and plant required for the execution of the			
	work, curing, lead. lift, etc., complete.			
а	Ground Floor	Sft	797.50	
b	First Floor	Sft	1,500.00	
С	Terrace floor	Sft	638.00	
	SUB TOTAL -	MASNO	RYWORKS	
C 00	DIACTERING			
6.00	PLASTERING Note:			
	111			
	a. The stated thickness of plaster coat is approximate only. In all cases the plaster shall be			
	of sufficient thickness to fill up all undulations in			
	the surfaces of masonry and to provide a true			
	surface for wall/ceiling plaster. Special care shall			
	be taken to soak the walls before applying the			
	plaster and finishing the surface of plaster to			
	ensure uniform texture and free from air cracks.			
	Before starting the work sufficient No. of button			
	marks shall be done to plumb and level to achieve			
	uniform finish.			
	b. All external window shall be finished to slope			
	outwards and not less than 1 in 48. The exterior			
	shall be finished as per sample approved, by wooden float but the interior shall be as per			
	·			
1	sample finished smooth.			

				I I
	c. The rate should include the cost of forming			
	grooves of sizes as required, wherever grooves			
	are to be provided horizontally/ vertically for in			
	accordance with			
	the drawings.			
	d. Plastering to be done either vertical face,			
	horizontal face or angular face. Rate shall be			
	quoted accordingly wherever necessary only.			
	e. Rate shall include circular /semicircular or any			
	othershape of the faces of plastering area.			
	Providing Ceiling Plastering at all levels with CM			
	1:4, 12mm thick finishing the surface smooth to			
	ceiling of slabs, soffits and sides of beams, RC			
	Walls rounding of all the corners wherever			
6.01	necessary including adding providing and mixing			
	Recron 3S fibres @ the rate of 125gm/bag of the			
	cement, and necessary hacking to ceiling,			
	scaffolding, curing, lead, lift etc. complete.			
а	Terrace Floor	sft	420.00	
	Providing Internal Plastering at all levels for wall			
	surfaces, beams, with CM 1:6, 15mm thick with			
	a neat finishing including providing and mixing			
	Recron 3S fibres @ the rate of 125gm/bag of the			
	cement mortar, fixing 150mm wide GI plaster			
	mesh Arpitha make in the junctions of the			
6.02	masonry and RCC work wherever applicable, fixing			
0.02	GI corner beads for all openings as shown in the			
	drawings Arpitha make, hacking wherever			
	applicable, necessary scaffolding, rounding of all			
	corners wherever required, curing, lead, lift etc.			
	complete. Rate to include butt filling in CM 1:6			
	after skirting is completed.			
а		sft	797.50	
	Ground Floor	311		
b	First Floor	sft	1,500.00	

	<u> </u>			
6.03	Providing External Plastering at all levels to walls, beams, columns, chajjas, canopy, parapet, fascia, eaves portion, Masonry pillars, Window Projected bands, etc. with CM 1:6, 20mm thick with sand faced finish by treating with wetted sponge rubber after float finish by which sand particles stand out as per specifications including adding and mixing Recron 3S fibres @ the rate of 125gm/bag of the cement and fixing of 150mm wide GI plaster mesh Arpitha make in the junctions of the masonry and RCC work wherever applicable, hacking wherever applicable, necessary scaffolding, curing, lead, lift etc. complete. Rate to include providing and finishing drip moulds wherever necessary in cement mortar 1:3.	sft	4,203.84	
	SUB TOTAL - F	PLASTERI	NG WORK	
7.00	PAINTING WORKS			
	Note:			
	1. For all painting works, the rates shall remain			
	same irrespective of colors used. The paint colors			
	can vary both for internal and external works			
	depending on the type of building. Also different			
	colors for interior walls shall be used within a			
	building and no extra shall be paid.			
	2. Metal primer used shall be zinc chromate,			
	Approved			
	make wherever applicable.			
	Providing and applying two coats of <b>Plastic</b>			
	<b>Emulsion Paint</b> of approved brand and shade			
	(Asian) for two or more coats over priming coat,			
	2 or more coats of full finish acrylic putty works			
	etc as per manufacturer's specification and			
7.04	including preparation of surfaces, scaffolding etc.			
7.01	complete for all Internal walls. The rate shall			
	include preparation fo surfaces, necessary			
	scaffolding, stages, ladder, lead and lift of			
	materials at all levels & heights etc. (The surface			
	area only shall be measured & paid for and no			
	paining coefficient will beconsidered for payment).	c.f.	6707.5	
a	Ground Floor First Floor	sft	6797.5	
b		sft	1500.0	
С	Terrace Floor	sft	797.5	

				1
7.02	Providing and applying two coats of <b>Plastic Emulsion Paint</b> of approved brand and shade ( <b>Asian</b> ) for two or moe coats over priming coat, 2 or more coats of full finish acrylic putty works etc as per manufacturer's specification and including preparation of surfaces, scaffolding etc. complete for all <b>ceilings</b> . The rate shall include preparation fo surfaces, necessary scaffolding, stages, ladder, lead and lift of materials at all levels & heights etc. (The surface area only shall be measured & paid for and no paining coefficient will be considered for payment).			
a	Ground Floor	sft	4036.0	
b	First Floor	sft	2030.0	
а	Terrace Floor	sft	420.0	
7.03	Providing and applying 2 or more coats fully finished exterior putty with 2 coats of Exterior Emulsion of Approved make (Asian), of approved colour, over one coat of primer over sponge plastered surfaces on Exterior surfaces of walls, underneath roof projections etc., including preparing the surface by cleaning the cement mortar, removing the dust/dirt/oil/grease, sanding, filling up the dents, cracks, undulations with crack filler of approved make, erecting and dismantling of scaffolding, curing etc., complete. Note: Roofing tiles shall be properly covered with plastic sheets to avoid spoilage of tile before start of the painting work. Incase of any damage to the tile by spillage of paint or by erecting scaffolding, same should be rectified at the cost and risk of the contractor, failing which Client shall arrange to get it rectified suitably and recover the lost of the same from the contractor 2 times the cost of theexpenditure.	sft	6703.8	
	SUB TOTAL -	PAINTIN	G WORKS	
8.00	JOINERY WORKS			
	Notes:  1. The contractor should refer respective door/window detailed drawings before quoting the rates. No claims will be accepted after the tender is finalised.  2. All the door & window frames should be protected suitably till handing over, failling			

	which the dammage/replace of same material			
	and workmanshipat contractors risk and cost.			
	Providing and fixing 32mm thick Flush door with			
	laminated sheet on both sides for bed rooms and			
	other areas as per approved drawings,			
	specifications and directions using 4 1/2" x 2 ½"			
	Frame :Made of padak wood frame work made			
	to design for all doors and fixed in the masonry			
	with 40mmx6mm MS hold fasts 450mm long,			
8.01	3Nos on either side embedded in C.C1:3:6 as per			
	standard procedure with skin moulded Flush			
	Shutters including providing and fixing the fittings			
	as per drawing and as directed by the Engineer -			
	in-charge etc., complete. (Providing door			
	accessories like, but hinges, tower bolt, mortice			
	lock, handle, door stopper etc., for Main doors as			
	Rs.3000/door) & Skin Moulded Flush door			
	shutter (or) Laminated shutter basic price of			
	Rs.210/ - per sq.ft.			
а	First Floor	sft	48.0	
	Droviding and fiving 12mm Fixed Tourhand			
8.02	Providing and fixing 12mm Fixed Toughened	sft	300.0	
0.02	<b>Glass</b> with necessary accessories Measurnment as per the Drawings.	SIL	300.0	
	per the brawings.			
	SUB TOTAL - JOINER WORKS	Y & F/	ABRICATION	
	1101110			
9.00	FLOORING & DADOING WORK			

				<u> </u>	1
	Notes:				
	1. Refer respective flooring drawings before				
	quotingthe rates.				
	2. The rates quoted shall include cutting and				
	laying the tiles near the floor traps, sanitary				
	outlets, acid washing, curing etc.				
	3. Contractor shall do dry laying of tiles on sand				
	bed &get it approved before final laying.				
	4. Contractor shall protect all the flooring works				
	including staircase with 12mm thick POP				
	covering over polythene sheet till handing over				
	the building, including removing and disposing				
	off the debris outside the 'project site'. Quoted				
	rate shall include the same.				
	5. Unless otherwise				
	specified all the rates are inclusive of all				
	-				
	necessary leads, lifts, scaffolding, staging, curing				
	etc., complete at all levels				
	6. For dadoing, contractor shall prepare tile grid				
	marking and get approval before actual laying of tiles.				
	of tiles.				
	Providing and laying Pre polished 20 mm thk				
	Granite stone of required size, approved colour,				
	quality, shade and required pattern for flooring,				
	Flooring borders, stairs in Landing, treads, risers				
	and skirting as per detailed drawings. The steps				
	nosing should be pencil rounded or as required				
	by the Architect and the steps should have				
	50mm wide flammed finish for anti skidding with				
9.01	necessary groove cutting for making flaming. The				
	rate to be inclusive of bed mortor of CM 1:4,				
	minimum 20mm thick to maintaing the finished				
	floor level. All the joints to be grouted with bal				
	endura grout matching colour to flooring				
	materials, necessary grouting arrangement to hold				
	the blaustrade of hand rail, leading & lifting of all				
	materials, required scaffolding, barrier, wastage				
	of materials and required polishing and cleaning				
	after laid etc, complete all as per Architectural				
	drawing and as directed by the Engineer in				
	charge.(Basic Cost of Granite Rs.100/-sq.ft)				
а	Floor, Borders & Staircase/Step - Landing	r.	202.5		
la		sft	282.0	1	1
b	Staircase/Step - Tread	311	202.0		

	- <u>-</u>				
	Providing and Laying Vitrified floor tiles for				
	Rooms, of approved make, size and colour, laid				
	over cement mortar 1:6 of average 25mm thick,				
	over which cement slurry will be poured, including				
9.02	-				
	tile spacers of 2 to 5 mm & grouting with				
	Balendura, washed with Diluted HCl.,complete.				
	complete all as per Architectural drawing and as				
	directed by the Engineer in charge (Basic Cost of				
	Vitrified tiles Rs.50/sq.ft)				
a	First Floor	sft	1800.0		
		Γ	1	<u> </u>	Т
			-	<u> </u>	
1	Providing and Laying vitrified tiles skirting 75mm				
	height of approved design, colour and shade on				
9.03	12mm thick cement mortar bedding 1:3, including tile				
9.03	spacers of 2 to 5 mm & grouting with Bal Endura etc.,				
	complete for Cut to sizes.(Basic Cost of Vitrified tiles				
	Rs.50/-sq.ft)				
a	First Floor	Rft	180.0		
<u> </u>	111301100.		100.0		
	SUB TOTAL - FLOORING &	DADOING	G WORKS		
10.00	FABRICATION WORK				
	Notes:				
	1. Metal primer shall be zinc chromate, Asian make.				
	2. Fabricator have				
	proper coordination with carpenter for obtaining				
	grill measurements and supplies.				
	3. All bars, flats are shall be MS brite bar				
	unless otherwise specified.				
	4. All tubular sections shall be MS CR				
	grade "TATA" make unless otherwise specified.				
	5. All dia of tubular sections				
	mentioned are nominal bore unless otherwise				
	Supply, Fabrication and installation of Steel				
10.01	structures( Column , Beams and Secondary beams	kg	3,200.00		
	steel structure )				
	approximate weight				
	Supplying and fixxing of GI 0.45MM thickness sheet				
10.02		i sit	1827.0		
	Luith installation including all assessories approximately				
	with installation including all accessories approximate				
	with installation including all accessories approximate area  SUB TOTAL - FABRI				

11.00	DEMOLISION & REPAIR WORKS			
11.01	Supply and Filling southside parking area wherever specified with approved good quality filling materials in plinths, area development etc. wherever specified in layers of not exceeding 150 mm thick including breaking clods, storing, transportation ,double handling, watering, compacting each layer with vibratory compactor and at unaccessible places with wooden/steel rammers to achieve 90 to 95% proctor density at optimum moisture content, all leads and lifts, bailing/ pumping out of water to keep site dry while backfilling; cost shall include conveyance of all materials, labour, machinery etc. complete as directed. The rate to includes loading, unloading, hire and fuel charges for tools and plants and other incidental charges etc., complete. Note: The mode of measurement for payment shall be the net compacted volume of filling PCC area shall be considered for measurement (Working space & provision of slopes if required for execution shall not be paid separately) after deduction of volume occupied by the structure. Block levels at the place of depositing of sand at intervals as directed by the engineer-in-charge should be jointly recorded by the contractor's representative and engineer-in-charge before depositing of sand. Such levels shall be used for calculating the quantity of sand deposited.	cft	3500.0	
11.02	Providing and laying P.C.C. 1:5:10 of specified thickness. wherever specified using m sand, 40mm and down size metal including sub grade preparation, leveling, all leads and lifts, rough finishing at the top surface, curing and shuttering if necessary etc.,			
	Car Parking Area	Cft	1000.0	
11.03	Repair of Concrete spalling & Crack Filling at Ground Floor as directed by engineer-in-charge including loading, unloading etc. complete.	sft	2000.0	
	SUB TOTAL - DEMOLISION	ON WOI	RK	
12.00	ELEVATION WORKS			
12.01	Supply and fixing of <b>Aluminum Composite Panel</b> of Eurobond make 4mm -exterior grade using double side tape and weather Sealants and other accessories to complete.	Sft	650.0	
	SUB TOTAL - ELEVATION	ON WOE	SK.	
	CIVIL /STRUCTURAL/FINISHING - GRA			
******	<u></u>		<i>-</i>	
*GST Ex	tra			

	BOQ - ELECTRICAL WOR	KS					
	POOMPUHAR - COIMBA	TORI					
s.no	Description	Qt y	Unit	Supp ly Rate	Labour Rate	Supply Amount	Labour Amount
1	Distribution Boards	,					
1.1	Power DB-1 {For: All Lighting/Power & UPS}						
	Supply, erection, testing and commissioning of						
	Double Door IP42 3 phase 8 Way VTPN DB						
	Comprising of the following.						
	Incomer:						
	63A 4P ELMCB(30 mA) - 1 Nos						
	Outgoings						
	1) 16A TP MCB - 2Nos						
	2) 20A SP MCB - 9Nos						
	3) 16A SP MCB - 9Nos	1	Set				
1.2	Power DB-2 [For: Common Area]						
	Supply, erection, testing and commissioning of						
	Double Door IP42 3 phase 8 Way VTPN DB						
	Comprising of the following.						
	Incomer:						
	63A FP RCBO - 1 Nos						
	Outgoings:						
	1) 40 TP MCB - 8Nos	1	Set				
	1, 40 H Meb Sives	_	300				
1.3	Feeder DB 1						
	Supply, erection, testing and commissioning of						
	Double Door IP42 3 phase 4 Way TPN DB Comprising						
	of the following.						
	Incomer:						
	40A FP MCB - 1 Nos						
	Outgoings:						
	32A DP MCB - 3 Nos	1	Set				
1.4	Feeder DB 2 [For UPS/INV DB's]						
	Supply, erection, testing and commissioning of						
	Double Door IP42 3 phase <b>4 Way TPN DB</b> Comprising						
	of the following.						
	Incomer:						
	40A FP MCB - 1 Nos						
	Outgoings:						
	32A DP MCB - 3 Nos		Set				
2	Wiring and Associated items						
	Supply, wiring,testing&commissioning of circuit						
	mains with 3 Run 2.5 sq mm FR copper cable for						
2.1	Lighting circuits run through a medium duty ISI PVC		Mtrs				
		0					
	conduits with all accessories. (Lighting Circuits)						

	Cumply wiring tacting? commissioning of circuit		
	Supply, wiring,testing&commissioning of circuit		
2.2	mains with 3 Run 2.5 sq mm FR copper cable for	12	Mtrs
2.2	Lighting circuits run through a medium duty ISI PVC	0	Witi 3
	conduits with all accessories. (UPS Circuits For TV&		
	Computer Sockets)		
	Supply, Laying and termination of circuit mains with		
	3 Run 1.5 sq mm FR copper cable for Lighting run		
2.3	through a <b>Steel Rain Forced PVC Hose</b> with all	35	Mtrs
	accessories. (For Additional Length)	0	
	Supply ,Laying and termination of 2 Run 4 sq mm and 1 Run		
	2.5 sq mm FR multi strand copper cable for Power		
2.4	Circuits Run through a medium duty ISI PVC	35	Mtrs
	conduits with all accessories.(Raw power circuits)	0	
	Supply, Laying of <b>Fire alarm cable</b> run through a		
2.5	medium	RO	Mtrs
	duty ISI PVC conduits with all accessories.		
	Supply, Laying of 1+3 CCTV cable run through a		
2.6	medium duty ISI PVC conduits with all		Mtrs
	accessories.(camera)		
2.7	Supply, Laying of CAT 6-STP(Shielded Twisted Pair)		Mtrs
2.7	cable run through a medium duty ISI PVC conduits	INO.	, IVIUS
	with all accessories.(Video Door Phone)		
2.0	Supply, Laying of 3C 1.0 Sq.mm flexible CU Cable	DO.	NA+rc
2.8	run through a medium duty ISI PVC conduits with all	KU	Mtrs
	accessories. (Hooter)		
	Supply, Laying of CAT 6-STP(Shielded		
2.9	Twisted Pair+Telephone) cable run through a	RO	Mtrs
	medium duty ISI PVC		
	conduits with all accessories. (Security Keypad)		
2.40			Mtrs
2.10	Supply, Laying of <b>T.V. cable</b> run through proper PVC	RO	
	conduit		
2.11	Supply, Laying of <b>2 pair Telephone cable</b> run through proper	RO	Mtrs
	PVC conduit		
2.12	Supply, Laying of Cat-6 cable run through proper	ВО	Mtrs
2.12	PVC conduit	Z	VIVIUS
2.13	Supply, Laying of Cat-6 cable + 2C 1.0 SQ.MM	ВO	Mtrs
	cable run	1.0	
	through proper PVC conduit [ WI-FI Networks]		
/ 14	Supply and Fixing of <b>Data socket</b> with molded	1	Nos
	front GI	_	
	enclosure with all accessories.  Supply and Fixing of <b>Telephone socket</b> with molded		
/ 15	front GI	1	Nos
	enclosure with all accessories.		
2.16	Supply and Fixing of <b>T.V. socket</b> with molded front	RO	Nos
2.10	plate GI	KU	Nos
	enclosure with all accessories.		

2.17	Supply and Fixing of 3NO 6A socket with 1no 16A Switch molded front plate GI enclosure with all accessories for TV unit&Computer	_	Nos		
2.18	Supply and Fixing of 6A socket with 6A switch and indicator, molded front plate GI enclosure with all accessories		Nos		
2.19	Supply and Fixing of 16A socket with 16A switch and indicator, molded front plate G1 enclosure with all accessories	10	Nos		
2.20	Supply and Fixing of 20A socket for AC, molded front plate G1 enclosure with all accessories	5	Nos		
2.21	Supply and Fixing of 20A DP Mini Modular MCB with molded front plate GI enclosure with all accessories for AC	RO	Nos		
2.21	Control  Supply and Fixing of 16A FP MCB with molded front plate GI enclosure with all accessories for 3Phase AC Control	RO	Nos		
3	Point Wiring				
	Supply, wiring,testing&commissioning of 3 Runs 1.5 sq mm FR copper cable inside suitble PVC conduit with necessary accessories as required in concealed/open arrangement as directed at site from switch board to light points including 6A				
3.1	1 Light Controlled by One Switch (Average Length - 8Mtrs)	30	pts		
3.1	1 Light Controlled by One Switch (Average Length -	30	pts pts		
	1 Light Controlled by One Switch (Average Length - 8Mtrs) 2 Light Controlled by One Switch (Average Length -		•		
3.2	1 Light Controlled by One Switch (Average Length - 8Mtrs) 2 Light Controlled by One Switch (Average Length - 10Mtrs) 3 Light Controlled by One Switch (Average Length -	20	pts		
3.2	1 Light Controlled by One Switch (Average Length - 8Mtrs) 2 Light Controlled by One Switch (Average Length - 10Mtrs) 3 Light Controlled by One Switch (Average Length - 12Mtrs) 4 Light Controlled by One Switch (Average Length - 12Mtrs)	20	pts pts		
3.2 3.3 3.4	1 Light Controlled by One Switch (Average Length - 8Mtrs)  2 Light Controlled by One Switch (Average Length - 10Mtrs)  3 Light Controlled by One Switch (Average Length - 12Mtrs)  4 Light Controlled by One Switch (Average Length - 14Mtrs)  Fan Controlled by One Switch (Average Length - 14Mtrs)	20 10 10	pts pts		

4	UG Cables					
	Supply, laying,testing&commissioning of					
	the following sizes of 1.1KV grade					
	Aluminium/Copper conductor armoured					
	power cables on cable duct/ground/wall					
	with suitable necessary					
	fixing arrangements.					
4.1	3.5 C X 185 Sq.mm AL.AR.UG Cable	RO	Mtrs			
4.2	4 C X 16 Sq.mm Al. AR.UG Cable	RO	Mtrs			
4.3	4C X 6 Sq.mm .CU.UG Cable	RO	Mtrs			
4.4	4C X 4 Sq.mm .CU.UG Cable	RO	Mtrs			
4.5	4C X 2.5 Sq.mm .CU.UG Cable	RO	Mtrs			
	·					
5	UG Cable Termination					
5.1	3.5 C X 185 Sq.mm AL.AR.UG Cable	RO	Set			
5.2	4 C X 16 Sq.mm Al. AR.UG Cable	RO				
5.3	4C X 6 Sq.mm .CU.UG Cable	RO				
5.4	4C X 4 Sq.mm .CU.UG Cable	RO				
5.5	'					
5.5 6	4C X 2.5 Sq.mm .CU.UG Cable Light Fitting - Ground , First Floor &	RO	Set			
	Landscape					
	landallation to time Commissioning					
	Installation, testing & commissioning of					
	following Light fittings with necessary					
6.1	Lamps, mounting arrangement, brackets.  Fixing of Ceiling 20W ceiling LED Light	65	Nos			
	Fitting					
6.2	Fixing of Ceiling 11W LED Light Fitting	10				
6.3	Fixing of Ceiling 9W LED Light Fitting	Ro	Nos			
6.4	Fixing of Decorative chandlier Fitting	Ro				
6.5	Fixing of Hanging type Fitting	2	Nos			
6.6	Fixing of Wall Bracket Fitting	Ro	Nos			
6.7	Fixing of Mirror light Fitting	Ro				
6.8 6.9	Fixing of Table Lamp Light Fitting	Ro				
	Fixing of Bulk Head Light Fitting	Ro				
6.1 6.11	Fixing of Up/Down Light Fitting	Ro Ro	Nos Nos		-	
6.11 6.12	Fixing of Foot Lamp Fitting					
6.13	Fixing of Bed side Light Fitting	Ro Ro	Nos		+	
6.14	Fixing of CFL Light Fitting	Ro			-	
6.15	Fixing of Picture light Fitting	Ro	Nos			
6.16	Fixing of Tube light Fitting	5	Nos			
6.17	Fixing of Ceiling Fan Fixing of Strip Light	50			+	
6.18	Fixing of Strip Light Fixing of Exhaust Fan	Ro	Nos			
5.10	LIVILIE OI EXHURST LAH	110	. 103		+	
	SUB TOTAL		]	<u> </u>	+	
	GRAND TOTA	L				
	•					

**Make of Equipment:** 

Man	or Equipment.	
	1. SDF - L&T or Simenschange over switch - Socomech	
	2. L.T.U.G. cables - Havells/RPG	
	3. Single Compression glands - Commet / Gripwell	
	4. LT Cable Sockets - Dowel's (Aluminium)	
	5. Single Phase DB's 3 DB's - Legrand/hagger/ L & T	
	6. ELCB, MCB - Legrand/hagger/ <b>L &amp; T</b>	
	7. MCCB - ABB/L&T or simens/HAGGER	
	8. Motarised power contact - ABB / socomech	
	8. Metal Conduits - Gupta	
	9. FRLS Flexible Wires - Finolex/R.R Cable/havells	
	10.Metal clad plug & Sockets -Legrand/L&T	
	11. Switches & Sockets - <b>Legrand/MK</b>	
	12. Fittings - Philips/Wipro	

SI.NO	PARTICULARS	UNIT	QTY	RATE	AMOUNT
31.110	PARTICULARS	UNII	QII	KAIE	AIVIOUNT
1	FALSE CEILING				
1.01	GYPSUM FALSE CEILING				
	Providing and fixing suspended false ceiling 12.5mm tk of <b>Gypsum Board</b> at various heights, providing and fixing of G.I.perimeter channels of size 0.55mm thick having one flange of 20mm and a web of 27mm along with perimeter of ceiling, screw fixed to the brick/concrete wall. Rate includes all drops for multiple designer steps/boxing, adequate support for cornice & lighting coves wherever required, cutouts and extra frame work for light fixtures, AC grills, speakers etc., complete as per design and as directed and the complete ceiling.	sft	1767		
2	PANELLING				
2.01	WALL PANELLING				
	Providing and fixing commercial plywood of approved make and sample on to existing Walls by means of approved wooden screws/nails.				
i)	12mm thick Plywood	sft	350		
2.02	1mm THICK LAMINATE				
	Providing and fixing in proper line and level, 1 mm thick laminate of approved make and fixed on to the existing first skin / framework / WALLS by means of approved wooden screws/nails. The grooves shall be finished with paint to match the shade of the laminate.	sft	350.0		
2.03	CORAIN				
	Providing and Fixing <b>6mm HIQ Corain</b> for Wall Panelling ,False Ceiling,Table Top as per design etc.	sft	25		
3					

3.01	CARPENTARY			
	FIRST FLOOR			
а	DISPLAY UNIT			
i)	Providing and fixing <b>Dispaly Unit</b> furniture's, finished with laminate as per Drawin g by providing necessary Clear Glass ,Telescopic channel, Fixed Glass complete as per details and Consultant's approval. Provision for fixing of switch sockets shall be made as required and finished using 1mm thk White laminate of approved brand.	sft	700	
b	CASH COUNTER TABLE			
ii)	Providing and fixing <b>Cash Counter Table</b> furniture's, by providing necessary drawer pedestal finished with laminate of approved colour and shade as per details. Drawer to be complete with hardware installed as directed to consist of the following: multi purpose lock as specified, Telescopic channel, etc., complete as per details and Consultant's approval. Provision for fixing of switch sockets shall be made as required and finished using 1mm thk laminate of approved brand and shade and all inner sides shall be painted with two coats of enamel over one coat of primer.	sft	28	

С	DISPLAY TABLE				
iii)	Providing and fixing <b>Display Table</b> furniture's, by providing necessary drawer pedestal finished with laminate of approved colour and shade as per details. Drawer to be complete with hardware installed as directed to consist of the following: multi purpose lock as specified, Telescopic channel, etc., complete as per details and Consultant's approval. Provision for fixing of switch sockets shall be made as required and finished using 1mm thk laminate of approved brand and shade and all inner sides shall be painted with two coats of enamel over one coat of primer.	sft	120		
4	SPLIT AC				
4.01	SPLIT AC				
4.01	SPLITAC				
	Supplying & Installation charges for above 3 TR Split A/C with high wall mounted unit including 5.0 Rmt copper tubing, drain pipes, etc. completly.  Voltas/Blue Star/ Daikin.Copper Condensor Only	nos	4		
5	PASSENGER LIFT				
	I ASSENCE II I				
5.01	PASSENGER LIFT				
	Design, Fabrication, Supply, Installation, Testing & Commissioning of Electric Traction Type fully automatic Machine room less (MRL)  Passenger Elevator having SS Enclosure (Grade304)  Maximum person - 5 nos  No of floor - G+1	nos	1		
	GRAND TOTAL - EXCULDING G	СТ			

Signature of the Authorised Signatory of Tender: Name of Authorised person: Designation of Authorised person Name and Address of Bidder: Stamp of bidder:

					T4.	.2 Data Sł						
S.NO	DESCRIPTION	NO	L	В	D	Excavati On	Filling	Anti Termite	Concrete Volume	Shutte ring Area	Brick Area	Plastering Area
			ft	ft	ft	cft	cft	sft	cft	sft	cft	sft
						0	0	0	0	0	0	0
1.01	Excavation											
a	Foundation Excavation											
	F1	6	5.5	5. 5	5	907.5						
						0.0 907.5						
b	Grade beam Excavation					00710						
	PB1 - 9"x 12"	1	79.8	1. 5	1.5	179.4						
				,		0.0						
						179.4						
1.02	Carting Away from site						429.6					
1.03												
а	Refilling with Excavated Soil						657.38					
b	Filling with well gravel brought from Outside	1	157.0	1 2	1		1884					
1.04	Anti termite Work											
a	Footing Level											
	F1	6	5.5	5. 5				181.5				
	F2			,				0				
								181.5				
<u> </u>	Plinth Level											
b	PB1 - 9"x 12"	1	79.8	1				119.6				
	PB1 - 9 X 12		75.6	1. 5				119.0				
	Area of Stilt Floor	1	420.0					420.0				
								539.6				
С	UG sump Level							0.0				
2.00	RCC Concreting											
_	Facting DCC/1:4:9\											
a	Footing PCC(1:4:8)											
	F1	6	5.5	5. 5	0.5				90.75	66		
									90.75	66		
									20.70			

b	Plinth beam -PCC								
	PB1(9" x 12" )	1	79.8	1.5	0.5		59.8	81.25	
							0.0	0	
							59.8	81.3	
3.0	CONTROLLED CEMENT / READY MIX CONCRETE								
3.01	Footing Concrete								
	F1	6	4.5	4.5	2		243.0	216.0	
							243.0	216.0	
3.02	COLUMNS CONCRETE						243.0	210.0	
a.o <u>_</u>	Column (Below basement)								
	, , ,								
	C1	6	1	0.75	8.00		36.00	168.00	
							36.0	168.0	
b	Column (Ground Floor)								
	Column (Ground Floor)								
	C1	6	1	0.75	10.00		45.00	210.00	
	-								
							45.0	210.0	
С	Column (First Floor)								
	C1	6	1	0.75	10.00		45.00	210.00	
							45.0	210.0	
							45.0	210.0	
d	Column (Terrace Floor)								
	C1	4	1	0.75	8.00		24.00	112.00	
	-								
							24.0	112.0	
3.03									
а	Grade beam concreting								
	PB1(9" x 12" )	1	79.8	0.75	1.00		59.81	161.00	
							F0.0	164.0	
							59.8	161.0	
3 03	Roof Beam								
3.03	NOOI DEGIII								
a	Terrace Floor								
		1	79.8	0.75	1		59.85	199.50	
							59.9	199.5	

3.04	Roof Slab								
а	Terrace Floor	1	420	0.5		210.0	420.0		
_		<del>  -</del>	1.20	0.0		210.0	420.0		
3.05	Staircase Waist slab								
а	Ground Floor	19	6	0.83		47.3	151.6		
b	First Floor	19	6	0.83	0.5	47.3	151.6		
	Midlanding Slab	2	6	6	0.5	36.0	72.0		
3.06	Lintel Beam								
3.00	Linter Beam								
а	Ground Floor	1	79.8	0.5	0.5	19.95	79.80		
		†-	†	J. <b>J</b>		0.00	0.00		
		+				0.00	0.00		
		1				19.95	79.8		
b	First Floor	1	79.8	0.5	0.5	19.95	79.80		
		1	225	0.5	0.5	56.25	225.00		
						0.00	0.00		
						76.20	304.80		
d	Terrace Floor	1	79.8	0.5	0.5	19.95	79.80		
3.08	Sill								
3.00	beam								
а	Ground Floor	1	79.8			79.80	79.80		
	Ground Froor	+-	73.0			0.00	0.00		
						79.80	79.80		
b	First Floor	1	225			225.00	225.00		
						0.00	0.00		
						225.00	225.00		
С	Terrace Floor	1	79.8			79.80	79.80		-
						0.00	0.00		
		1				79.8	79.8		
		1							
2 10	Weathering Course	1	420			430			
3.10	vveathering Course	1	420			420			
7	Masonry work								
	, -								
7.01	6" inch								
а	Ground Floor	1	79.8		10			797.5	
b	First Floor	1	79.8		10			798	
		1	225		10			2250	

	Deduction						
	D8	-1	6	8		-48	
	FG1	-4	10.5	7.66		-322	
	FG2	-1	9	7.66		-69	
		_	+ - +	7.00		2609	
						2003	
С	Terrace Floor	1	79.8	8		638	
_	Terrace Floor	-	75.0			038	
			+ +			638	
						038	
8	Plastering		-				
0	riastering						
8.01	Ceiling Plastering						
а	Terrace Floor	1	420				420
							420
8.02	Internal & External						
0.0_	Plastering						
а	Ground Floor						
-	Inner	1	79.8	10			798
	IIIICI	_	73.0	- 10			0
			1				797.5
			+ +				737.3
	Outer	1	79.8	10			797.5
	Outer	-	75.6	10			737.3
			<del>                                     </del>				797.5
			1				737.3
b	First Floor		<del>                                     </del>				
D	1	4	79.8	10			798
	Inner	1		10			
	Dadwat'an	1	225	10			2250
	Deduction		<b> </b>				40
	D8	-1	6	8			-48
	FG1	-4	10.5	7.66			-322
	FG2	-1	9	7.66			-69
							2608.84
		_					
	Outer	1	79.8	10			797.5
		1	225	10			2250
	Deduction	_					
	D8	-1	6	8			-48
	FG1	-4	10.5	7.66			-322
	FG2	-1	9	7.66			-69
							2608.84
С	Terrace Floor						
	Inner	1	79.8	10			797.50
							797.5
	Outer	1	79.8	10			797.5

		l			1		I		
									797.5
									797.5
9	PAINTING WORKS								
9.01	Internal Walls								
	Ground Floor								0
	First Floor								0
	Second Floor								0
	Terrace Floor								0
9.02	Ceiling								
	Ground Floor								0
	First Floor								0
	Second Floor								0
	Terrace Floor				1				0
9.03	External Walls								0
9.04	Melamin Polish								
	Ground Floor								0
	First Floor								0
	1113611001								
10	Joinery Work								
10	Joinery Work								
10.01	Teak Wood Doors								
10.01	Teak Wood Doors								
	0 15								
a	Ground Floor								0
b	First Floor								0
10.02	Flush Doors								
а	Ground Floor								0
	D8	1	6	8					
	FG1	4	10.5	7.66					
	FG2	1	9	7.66					
10.03	Water Proof Flush Doors								
а	Ground Floor					1			
b	First Floor								0
С	Second Floor								0
									0
					1				
10.04	UPVC Windows				1				0
		1	L	1	1	<u> </u>	1	1	L

10.05	UPVC Ventilator								0
10.06	Fixed Glass								
	FG1	4	10.5	7.66					321.72
	FG2	1	9	7.6 6					68.94
									390.66
11	Flooring Work								
11.01	Granite Stone for Staircase								
	Floor, Borders & Staircase/Step - Landing Floor, Staircase/Step/Floor								0
	Floor, Staircase/Step/Floor								_
	Skirting 100mm height								0
44.00									
11.02	Italin Marble First Floor								0
	Second Floor								0
	Second Floor								- 0
11.03	Italin Marble Skriting		+ +						
	First Floor								0
	Second Floor								0
11.04	Virtified Tile								
	First Floor								0
	Second Floor								0
11.05	Virtified Tile Skirting								
	First Floor								0
	Second Floor								0
11.06	Ceramic Floor Tile								
11.00	First Floor								0
	Second Floor								0
11.07	Wall Tile For Toilet								
	First Floor								0
	Second Floor								0
11.08	Paver Block								0
11.00	Pressed Clay Tile								0
11.09	riesseu Clay Tile		-						U
			1				-	<del>                                     </del>	
12	FABRICATION WORK								
-									
12.01	MS Staircase Handrail								0
			1 1						
12.02	Windows & Ventilator								0
	Grill								

	INTERIOR DETAIL							
S.NO	DESCRIPTION	NOS	L	В	D	TOTAL	UNIT	
1	FALSE CEILING							
	Ground Floor	1				2812		
						2812	sft	
2	PARTITION							
	PARTITION					1		
3	WALL PANELLING							
	FIRST FLOOR							
		16	1.5		10	240		
		1	6		10	60		
		1	25		10	250		
						550	SFT	
4	LAMINATE							
	FIRST FLOOR							
		16	1.5		10	240		
		1	6		10	60		
		1	25		10	250		
						550.0	sft	

5	CARPENTARY WORK					
	GROUND FLOOR					
	OPTICAL					
	Display unit	1	19.25	7.58	145.915	
		1	11.5	7.58	87.17	
		5	10.75	7.58	407.425	
		1	9.75	7.58	73.905	
		4	10.75	7.58	325.94	
					1040.355	sft
	Cash Counter Table	1	7	4	28	sft
	Display Table	15	4	2.5	150	
					150	sft
6	JOINERY WORK					
	Ground Floor					
	GLASS DOOR					
	D7	1	8	8	64	
	D6	2	4	8	64	
					128	SFT
	UPVC DOORS					
	D2	2	2.75	7	38.5	
	D3	12	3	7	252	
	D6	1	4	7	28	
	TD2	1	2.75	7	19.3	
	TD1	5	2.5	7	87.5	
					425.25	SFT

FIRST FLOOR					
UPVC DOORS					
D2	22	2.75	7	423.5	
D3	3	3	7	63.0	
D7	4	4.5	7	126.0	
TD1	21	2.5	7	367.5	
D5	1	3.5	7	24.5	
D6	1	6.25	7	43.8	
				1048.25	SFT
WATER PROOF DOOR					
TD2	1	2.75	7	19.3	
TD1	5	2.5	7	87.5	
TD1	21	2.5	7	367.5	
				474.25	SFT
FLUSH DOOR					
D2	2	2.75	7	38.5	
D3	12	3	7	252	
D6	1	4	7	28	
D2	15	2.75	7	423.5	
D3	2	3	7	63.0	
D5	1	3.5	7	24.5	
D6	1	6.25	7	43.8	
				873.25	SFT
Paint					
 First Floor	1	421	 10	4210	
	1	873	3	2619	
	1			100	
Ground Floor	1			200	
				7129	SFT

## APPROVED LIST OF MATERIALS AND SUPPLIERS

All materials to be used in the work shall conform to technical specifications, relevant Indian Standard Specifications and wherever available ISI marked materials will be used. The list given below is only indicative and not restricted to brand mentioned. Other equivalent brand may be approved at the discretion of the Client at a later stage.

However, for the purpose of fair comparison between the participants, bidders have to quote the price considering the make mentioned in BOQ / specification or as listed as under;

ITEMS	APPROVED MAKE / BRAND / MFG.
CIVIL WORKS:	
CEMENT	ULTRATECH, AMBUJA, ACC, DALMIA
WHITE CEMENT	BIRLA, JK
SAND	RIVER SAND (SWEET WATER) , M SAND
TMT BARS	TATA, SAIL, VIZAG, ELECTROTHERM
WATERPROOFING COMPONANTS	SUNANDA, ROFF, SIKA
SECTIONS-BEAMS, TEE,	TATA, SAIL, BALBIR ROLLING MILLS
CHANNELS, FLATS, ANGLES, BARS	TATA, SAIL, BALBIR ROLLING MILLS
HARDWARE	YALE, HETTICH, HAFELE, BLUM, MAGNUM
POLISHED KOTAH STONE SLAB	APPROVED SOURCE (UNIFORM COLOUR)
CERAMIC TILES	KAJARIA , BELL, JHONSON, SOMANY
VITRIFIED TILES	BELL, JOHNSON, RAK, ASIAN
GRANITE/KADDAPPA	AS PER SAMPLE APPROVED BY CLIENT
CUSTOM MADE FURNITURE WORKS:	
PLYWOOD / FLUSH DOORS: (WATERPROOF)	GREEN, ANCHOR, KIT PLY, DURO, CENTURY, ULTRAN ECO
LAMINATES	GREENLAM, MARINOLAM, ROYAL TOUCH, ROYAL CROWN
VEENER	GREENLAM, CENTURY, EURO, CENTURTY
WOOD FOR FINISHING	BURMA TEAK , SAL WOOD , KONGU BASRA
WOODEN FRAMING	VALSADI SAG, BURMA TEAK
LOCKS	GODREJ, MCM, YALE, HATTICH, EUROPA, HAFFLE,DOOR SET
HINGHES	OZON, HAAFLE, HETTICH,EBCO
Auto HINGHES	HAFFLE, HATTICH
ALLUMINUM FRAMES	JINDAL, NATIONAL, BANCO
ALLUMINUM CLADDING	ALEX, ALUDECOR, EUROBOND
SILICON BASED FILLERS	GE SILICONE, DOW CORNING, VEKER
TELESCOPIC CHANNELS	HETTICH, HAFFLE,EBCO
TELESCOPIC CPU STAND	AS PER SAMPLE &MAKE APPROVED BY CLIENT
CABLE / WIRE MANAGER	AS PER SAMPLE &MAKE APPROVED BY CLIENT
SS DOOR HANDLE	KICH, HAAFLE, DAORMA, ENOX
DOOR CLOSER	ENOX, DORMA, HAFFLE,GODREJ,HETTICH
FLOOR SPRING	ENOX, DORMA, HAFFLE,OZONE,SAFEX
PLAIN / TOUGHNED GLASSES & MIRROR (ONLY	SAINT GOBAIN, ASAHI, MODI GAURD
TOUGHNED GLASS TO BE USED )	
WOOLEN CARPET	FLOTEX, UNITEX
PVC CARPET	CLASSIC, WONDER FLOOR,
FLASE CEILING WORKS :	
GYPSUM JOINT LESS FALSE CEILING	SAINT GOBAIN, GYPBOARD,INDIA GYPSUM
MINERAL FIBRE GRID CEILING	ARMSTRONG, SAINT GOBAIN,
ALLUMINUM POWDER COATED CEILING	ARMSTRONG, SAINT GOBAIN
PAINTS &POLISH:	ICI, JONSON - NECHOLSON, ASIAN, BERGER, MRF

PLUMBING WORKS :	
U PVC PIPE	SUPREME, PRINCE, ASTRAL
C PVC PIPES	SUPREME, PRINCE, ASTRAL
SANITARYWARE	HINDWARE, CERA, PARRYWARE, KOLHER
BATH FITTING	JAQUAR, KOLHER, PARRYWARE
BATH ACCESORIES	KICH, HAFFLE
ELECTRICAL WORKS :	
RIGID PVC CONDUIT PIPES	NIHIR, PRECISION
MODULAR SWITCHES	ANCHOR, MK, LEGRAND
DISTRIBUTION BOARD	HAGER, HAVEELS, MDS LEGRAND,
ELCB / MCB	HAVELLES, HAGER, CLIPSALS, LEGRAND
FLEXIBLE COPPER WIRES	AVOCAB, POLYCAB, PHINOLEX, HAVELLS, RR
MAIN H T CABLES	AVOCAB, POLYCAB, PHINOLEX, HAVELLS, RR
DATA CABLES ( TELEPHONE & LANE)	PHINOLEX, DELTON, POLYCAB, COMMSCOPE, AMP,
	DLINK
LIGHT FIXTURES	PHILIPS, HAVELLS, ARCHILITE, WIPRO, BAJAJ, HAFFLE
BUZZERS & BELLS	AS PER SAMPLE &MAKE APPROVED BY CLIENT
G.I. WIRES & STRIPS	AS PER SAMPLE &MAKE APPROVED BY CLIENT
CONDUIT PIPE ACCESSORIES	NIHAR, PRECISION
CABLE GLANDS	COMET. BRACO
LUGS	DOWELL, JAINSON
OTHER ITEMS:	
CHAIRS AND SEATING SYSTEMS	GODREJ, MERRYFAIR, FEDORA, HOF
READYMADE FURNITURES (SOFA, CENTRE TABLE,	AS PER APPROVED BY CLIENT
CORNER TABLE)	
MOTORIZED ROLLER BLINDS	HUNTER DOUGLAS, MAC
AIRCONDITION-SPLIT AC 5 STAR RATING	O GENERAL, DAIKIN, MITSUBISHI
GLASS FILM	GARWARAE, 3 M
DEFENDER DOOR FOR STRONG ROOM / SAFE	GODREJ
ON LINE UPS WITH DRY BATTERY/CCTV camera	AUGUSTA, KIRLOSKAR / (Hike Vision, Zlcom, Honeywell)

Signature of the Authorised Signatory of Tender: Name of Authorised person:

Designation of Authorised person

Name and Address of Bidder:

Stamp of bidder:

**T4.3 Diagrams** 

















